



ENGINE OILS

Penrite recognises that different engine designs require a range of oils to properly lubricate and protect the engine while preserving the fuel economy or power of the engine. The first consideration is the original oil requirement for start up viscosity at typical ambient conditions. Then the most appropriate oil grade in our range is applied that would ensure good protection at operating temperatures. This is one of the reasons why Penrite engine oils have some of the widest multigrade ranges of any oil company.

HPR

Penrite HPR premium quality engine oils are the ultimate performance range of engine lubricants designed for Australian conditions. The Penrite HPR range has been engineered with a unique DOUBLE LAYER of engine protection with FULL ZINC and Penrite's advanced EXTRA TEN technology. The Penrite HPR range has been developed for use in vehicles from modern compact multi valved family cars through to high performance super cars, racing and competition machines, 4WD's, SUV's, light and heavy commercials and motorcycles.



Visit our website at www.penriteoil.com

The Penrite Difference

- Family owned and operated, Australian made since 1926
- Australia's number 1 independent oil company
- Premium brand using only quality "virgin" base oils and additives
- High level customer satisfaction and voted number 1 preferred supplier
- The product offer covers a wide range of applications including modern and classic automotive, motorcycles, marine, agriculture, horticulture, mining, heavy duty, commercial and industrial
- Highly trained technical training and customer service representation
- Complete technical backup support 7 days a week
- Ability to make "problem solving" products for specific applications
- **EXTRA TEN, FULL ZINC** SAE viscosity products including **SHEAR FREE**
- First to market with the latest industry technology and manufacturer approvals
- 100% quality satisfaction guarantee




Penrite Engine Oils Features & Benefits

EXTRA TEN technology offers the same engine wear protection at start up, **BUT** offers an **EXTRA LAYER** of protection under all driving conditions compared to standard SAE grade engine oils. For example, others produce a **0W-40** oil, we produce a **0W-50**.

FULL ZINC is an anti-wear additive package for ultimate engine wear protection. These products contain between 1200 - 1600 ppm (parts per million). **FULL ZINC+** contains zinc, boron and organomolybdenum complex to lift the total level of anti-wear package additives to over **2200+** ppm.

Together with **FULL ZINC** and the **EXTRA TEN**, this combination provides a **DOUBLE LAYER** of engine wear protection over normal **SAE** grade engine oils at operating temperature. As seen on the chart opposite.

To find out more about how Penrite's "**EXTRA TEN**" protects your engine, simply scan the code with your smart device to view the short **VIDEO**.



SHEAR FREE. What does it mean? As seen on the chart above, Normal Oil will lose their viscosity and ability to maintain **OIL PRESSURE**, whereas 10 Tenths Racing oils will maintain viscosity and oil pressure over time giving ultimate performance.



Visit our website at www.penriteoil.com

ENGINE OILS RANGE

Choose the right engine oil for your vehicle.

HPR

- ✓ Premium
- ✓ Full Synthetic, Semi Synthetic and Premium Mineral
- ✓ Latest API and ACEA Specifications
- ✓ **DOUBLE LAYER** of engine wear protection with **FULL ZINC** with **EXTRA TEN** technology

10TENTHS
100% PERFORMANCE

- ✓ High Performance
- ✓ Full Synthetic PAO (Group 4) and Ester (Group 5) base oils
- ✓ **SHEAR FREE RACING** formulation offers start up protection, maintains oil pressure and eliminates viscosity loss
- ✓ **FULL ZINC+** anti-wear additive package for ultimate engine protection
- ✓ Competition proven and trusted protection for performance engines

ENVIRO+

- ✓ Application Specific
- ✓ Full Synthetic Low and Mid SAPS
- ✓ Latest API and ACEA Specifications for better wear protection, less sludge and piston deposits
- ✓ Catalyst and DPF Compatible with Fuel Saving benefits
- ✓ Manufacturer Approved to maintain vehicle warranty and specifications

EVERYDAY

- ✓ Everyday motoring
- ✓ Premium Mineral and Semi Synthetic
- ✓ Latest API Specifications for better wear protection, less sludge and piston deposits

Classic

- ✓ Developed specifically for Classic, Veteran and Vintage vehicles prior to 1980's
- ✓ Designed to meet the original requirements but utilising the very best of modern oil technology

OEM APPROVALS

Using the correct fluid during the warranty period for your new vehicle ensures that you maintain your manufacturer warranty on your new vehicle, using a non-approved oil for servicing during the warranty period can jeopardise the manufacturer's warranty. Penrite have a commitment in providing the right product for the right application including OEM (Original Equipment Manufacturer) approved products.

Brand:	OEM Approval:
HPR 5	BMW Longlife-01
	Mercedes Benz MB-229.5
Enviro+ 5W-30	Volkswagen VW 504.00 / 507.00
Enviro+ 5W-40	Volkswagen VW 502.00 / 505.00
	Porsche A40
	Mercedes Benz MB-229.51
	BMW Longlife-04
	General Motors GM dexos2®
Enviro+ GF-5	General Motors GM dexos1®
Pro 5	General Motors GM dexos1®



Visit our website at www.penriteoil.com

ENGINE OILS SUMMARY

At Penrite we manufacture the right oil for the right application. Choosing the right oil for your application is imperative to ensure longevity of your vehicles engine. Compliance with manufacturer specifications is critical, this chart should be used as a reference guide only. For Cars, 4WDs, Light and Heavy Duty Commercials, Motorcycles and more.

Brand Range	Product Name	Full Synthetic PAO Ester		Full Synthetic Mid SAPS	Full Synthetic Low SAPS	Semi Synthetic	Premium Mineral	SAE Grade	API Rating	ACEA Rating	JASO / ILSAC Rating	OEM Approved	Petrol / E10	LPG / Dual Fuel	E85	Light Duty Diesel	Heavy Duty Diesel	Vehicles without DPF / CPF	Vehicles with DPF / CPF	Zinc PPM
		✓	✓																	
HPR™	HPR 0		✓					0W-30	SL/CF	A3/B4			✓	✓		✓	✓	✓	✓	1050
	HPR 5		✓					5W-40	SN/CF	A3/B4	JASO MA1	✓	✓	✓		✓	✓	✓	✓	1050
	HPR 10							10W-50	SN/CF	A3/B4			✓	✓						1140
	HPR 15		✓					15W-60	SN/CF	A3/B4			✓	✓		✓	✓	✓	✓	1140
	HPR 30						✓	20W-60	SM/CF	A3/B3			✓					✓		1570
	HPR 40						✓	25W-70	SL				✓					✓		1450
	HPR 50						✓	40-70	SL				✓					✓		1450
	HPR GAS 10					✓		10W-50	CI-4/SL	A3/B3	JASO MA		✓	✓		✓	✓	✓		1220
	HPR GAS						✓	20W-60	CG-4/SL		JASO MA		✓	✓				✓		1290
	HPR DIESEL 5					✓		5W-40	CI-4 PLUS/SL	A3/B4/E7	JASO DH-1/JASO MA			✓		✓	✓	✓		1220
	HPR DIESEL 10							10W-40	CI-4 PLUS/SL	A3/B4/E7	JASO DH-1/JASO MA					✓	✓	✓		1220
	HPR DIESEL 15					✓		15W-50	CI-4 PLUS/SL	A3/B4/E7	JASO DH-1/JASO MA			✓		✓	✓	✓		1220
	HPR DIESEL						✓	20W-60	CH-4/SJ	A3/B3/E7	JASO CD Plus/JASO MA			✓		✓	✓	✓		1220
	PREMIUM 0	✓						0W-50	SN/CF	A3/B3			✓	✓	✓	✓	✓	✓		2250*
	PREMIUM 5	✓						5W-60	SN/CF	A3/B3			✓	✓	✓	✓	✓	✓		2250*
	PREMIUM 10	✓						10W-70	SN/CF	A3/B3			✓	✓	✓	✓	✓	✓		2250*
	RACING 0	✓						0W-20	SL/CF				✓	✓	✓	✓	✓	✓		2250*
	RACING 5	✓						5W-30	SL/CF	A1/B1			✓	✓	✓	✓	✓	✓		2250*
	RACING 10	✓						10W-40	SN/CF	A3/B3			✓	✓	✓	✓	✓	✓		2250*
	RACING 15	✓						15W-50	SN/CF	A3/B3			✓	✓	✓	✓	✓	✓		2250*
	RACING 20	✓						20W-60	SN/CF	A3/B3			✓	✓	✓	✓	✓	✓		2250*
ENVIRO+ 10 TENTHS™	RUNNING IN OIL						✓	15W-40	SF/CC				✓					✓		1610
	ENVIRO+ 5W-20			✓				5W-20	SN	C2			✓			✓	✓	✓	✓	860
	ENVIRO+ 5W-30			✓				5W-30		C3			✓			✓	✓	✓	✓	670
	ENVIRO+ 5W-40			✓				5W-40	SN/CF	C2/C3	dexos2™	✓	✓			✓	✓	✓	✓	890
	ENVIRO+ 10W-40				✓			10W-40	CJ-4/SM	E4/E6/E9		✓	✓			✓	✓	✓	✓	880
	ENVIRO+ C4				✓			5W-30		C4			✓			✓	✓	✓	✓	500
	ENVIRO+ DL-1				✓			5W-30		C2	JASO DL-1	✓	✓			✓	✓	✓	✓	500
	ENVIRO+ GF-5		✓					5W-30	SN		ILSAC GF-5 / dexos1™	✓	✓	✓	✓		✓	✓		850
	EVERYDAY FS 5W-30		✓					5W-30	SL/CF	A3/B4	JASO MA2		✓	✓		✓	✓	✓	✓	1080
	EVERYDAY FS 10W-40		✓					10W-40	SN/CF	A3/B4	JASO MA		✓	✓		✓	✓	✓	✓	1240
	EVERYDAY PLUS 5W-40					✓		5W-40	SN/CF	A3/B4			✓			✓	✓	✓		1140
	EVERYDAY PLUS 10W-40					✓		10W-40	SN/CF	A3/B4			✓			✓	✓	✓		1100
	EVERYDAY PLUS 15W-40					✓		15W-40	SN/CF	A3/B4			✓			✓	✓	✓		1100
	EVERYDAY 5W-30						✓	5W-30	SN		ILSAC GF-5		✓	✓	✓		✓	✓		850
	EVERYDAY 10W-30						✓	10W-30	SN		ILSAC GF-5		✓	✓	✓		✓	✓		850
	EVERYDAY 15W-40						✓	15W-40	SN/CF				✓	✓		✓	✓	✓		1100
	EVERYDAY 20W-50						✓	20W-50	SN				✓				✓	✓		1100
	STOPS OIL BURNING						✓	30-70	SJ				✓					✓		1110
EVERYDAY™	DIESEL FX						✓	15W-40	CI-4 PLUS/SL	A3/B3/E7						✓	✓	✓		1220
	DIESEL HD						✓	15W-40	CJ-4/SM	E7/E9	JASO DH-2	✓	✓	✓		✓	✓	✓	✓	1260
	PRO 5					✓		5W-30	SN/CF	C3			✓	✓	✓		✓	✓		890
	PRO 10					✓		10W-30	SN		ILSAC GF-5		✓	✓	✓		✓	✓		820
	PRO EXTRA					✓		10W-40	SN/CF	A3/B4			✓			✓	✓	✓		1100
	PRO 15 PLUS						✓	15W-50	SN/CF	A3/B3			✓			✓	✓	✓		1100
	PRO 20						✓	20W-50	SM/CF							✓	✓	✓		1100
	MULTIFLEET 15						✓	15W-40	SL/CF-4				✓	✓		✓	✓	✓		1010
	MULTIFLEET 20						✓	20W-50	SL/CF-4				✓	✓		✓	✓	✓		1100
	MONO 30							SAE 30	CF-2/CF/SG	E1			✓	✓		✓	✓	✓		1290
	MONO 40							SAE 40	CF-2/CF/SF				✓	✓		✓	✓	✓		920
	MONO 50							SAE 50	CF-2/CF/SF				✓	✓		✓	✓	✓		770
	UNIVERSAL FARM OIL							15W-40	CG-4/SF	E3	API GL-4, ALLISON C4	✓	✓		✓	✓	✓	✓		1390
	CLASSIC MINI						✓	20W-60	SJ/CE	CCMC G2	API GL-4		✓	✓		✓	✓	✓		1610
	CLASSIC LIGHT						✓	20W-60	SG/CD				✓	✓		✓	✓	✓		1610
	CLASSIC MEDIUM						✓	25W-70	SG/CD				✓	✓		✓	✓	✓		1610
	CLASSIC HEAVY						✓	40W-70	SG/CD				✓	✓		✓	✓	✓		1610
	SHELSLEY LIGHT						✓	SAE 30	SC/CC		SAE 20W-60		✓			✓	✓	✓		1400
	SHELSLEY MEDIUM						✓	SAE 40	SC/CC		SAE 25W-70				✓	✓	✓	✓		1400
	SHELSLEY HEAVY						✓	SAE 50	SC/CC		40-70				✓	✓	✓	✓		1400
	HERITAGE LTM						✓	SAE 30					✓			✓	✓	✓		1150
	HERITAGE MTH						✓	SAE 50					✓			✓	✓	✓		1150



Visit our website at www.penriteoil.com

HPR 0

Product Code	Pack Size	Carton Qty
HPR00001	1 Litre	6
HPR00005	5 Litres	4
HPR00020	20 Litres	1
HPR00205	205 Litres	1

Viscosity: 0W-30 Base Oil: Full Synthetic
Alternative Viscosities: 0W-20, 5W-20

Key Specifications: API SL/CF, ACEA A3/B4, GM 4718M, MB 229.3, Ford M2C913-A/913-B
Fuel Types: Petrol / E10, Diesel, LPG / Dual Fuel
Features: Full Zinc, Extra Ten

Penrite HPR 0 is a premium, full synthetic, SAE 0W-30 engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC and Penrite's advanced EXTRA TEN technology.



HPR 5

Product Code	Pack Size	Carton Qty
HPR05001	1 Litre	6
HPR05005	5 Litres	4
HPR05006	6 Litres	3
HPR05010	10 Litres	1
HPR05020	20 Litres	1
HPR05060	60 Litres	1
HPR05205	205 Litres	1

Viscosity: 5W-40 Base Oil: Full Synthetic
Alternative Viscosities: 5W-30, 10W-30

Key Specifications: API SN/CF, ACEA A3/B4, JASO MA1, VW 502.00/505.00, GM 4718M, GM-LL-B-025, Ford M2C912-A/913-A/913-B/913-C/913-D/153-G/153-H
OEM Approvals: MB-Approval 229.5, BMW Longlife-01
Fuel Types: Petrol / E10, Diesel, LPG / Dual Fuel
Features: Full Zinc, Extra Ten, Manufacturer Approved

Penrite HPR 5 is a premium, full synthetic, SAE 5W-40, Original Equipment Manufacturer (OEM) warranty, Fully Licensed / Approved engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC and Penrite's advanced EXTRA TEN technology.



HPR 10

Product Code	Pack Size	Carton Qty
HPR10001	1 Litre	6
HPR10005	5 Litres	4
HPR10006	6 Litres	3
HPR10010	10 Litres	1
HPR10020	20 Litres	1
HPR10060	60 Litres	1
HPR10205	205 Litres	1

Viscosity: 10W-50 Base Oil: Full Synthetic
Alternative Viscosities: 10W-40, 15W-40

Key Specifications: API SN/CF, ACEA A3/B4, MB 229.1, Ford M2C905-A3/910-A/153-F/153-G, Holden HN 2100, VW 500.00/502.00/505.00, BMW-LL-98
Fuel Types: Petrol / E10, Diesel, LPG / Dual Fuel
Features: Full Zinc, Extra Ten

Penrite HPR 10 is a premium, full synthetic, SAE 10W-50, engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC and Penrite's advanced EXTRA TEN technology.



HPR 15

Product Code	Pack Size	Carton Qty
HPR15001	1 Litre	6
HPR15005	5 Litres	4
HPR15010	10 Litres	1
HPR15020	20 Litres	1
HPR15060	60 Litres	1
HPR15205	205 Litres	1

Viscosity: 15W-60 Base Oil: Full Synthetic
Alternative Viscosities: 15W-50, 20W-40, 20W-50

Key Specifications: API SN/CF, ACEA A3/B4, GM 6094M, Ford M2C153-E/902-A3, MB 229.1, VW 502.00/505.00
Fuel Types: Petrol / E10, Diesel, LPG / Dual Fuel
Features: Full Zinc, Extra Ten

Penrite HPR 15 is a premium, full synthetic, SAE 15W-50, engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC and Penrite's advanced EXTRA TEN technology.



HPR 30

Product Code	Pack Size	Carton Qty
HPR30001	1 Litre	6
HPR30005	5 Litres	4
HPR30020	20 Litres	1
HPR30060	60 Litres	1
HPR30205	205 Litres	1

Viscosity: 20W-60 Base Oil: Premium Mineral
Alternative Viscosities: 20W-40, 20W-50, 25W-60, SAE 30

Key Specifications: API SM/CF, ACEA A3/B3, GM 6094M, Ford WSS-M2C153-E, VW 502.00/505.00
Fuel Types: Petrol / E10, Racing
Features: Full Zinc, Extra Ten

Penrite HPR 30 is a premium high performance mineral, SAE 20W-60, non-friction modified engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC (approx. 1600 ppm) and Penrite's advanced EXTRA TEN technology.



Visit our website at www.penriteoil.com

HPR 40

Product Code	Pack Size	Carton Qty	Viscosity: 25W-70 Base Oil: Premium Mineral Alternative Viscosities: 25W-50, 25W-60
HPR40001	1 Litre	6	Key Specifications: API SL Fuel Types: Petrol / E10, Racing Features: Full Zinc, Extra Ten Penrite HPR 40 is a premium high performance mineral, SAE 25W-70, non-friction modified engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC (approx. 1500 ppm) and Penrite's advanced EXTRA TEN technology.
HPR40005	5 Litres	4	
HPR40020	20 Litres	1	
HPR40060	60 Litres	1	
HPR40205	205 Litres	1	



HPR 50

Product Code	Pack Size	Carton Qty	Viscosity: 40-70 Base Oil: Premium Mineral Alternative Viscosities: SAE 50
HPR50001	1 Litre	6	Key Specifications: API SL Fuel Types: Petrol / E10, Racing Features: Full Zinc, Extra Ten Penrite HPR 50 is a premium high performance mineral, SAE 40-70, non-friction modified engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC (approx. 1500 ppm) and Penrite's advanced EXTRA TEN technology.
HPR50005	5 Litres	4	
HPR50020	20 Litres	1	
HPR50060	60 Litres	1	
HPR50205	205 Litres	1	



HPR Diesel

Product Code	Pack Size	Carton Qty	Viscosity: 20W-60 Base Oil: Premium Mineral Alternative Viscosities: 20W-40, 20W-50, Mono 30
HPRD001	1 Litre	6	Key Specifications: API CH-4/SJ, ACEA A3/B3/E7, Global DLD-1, JASO MA, JASO CD Plus, Ford WSS-M2C911-A1, VW 500.00, MTU Type 2, MB 228.3 Fuel Types: Diesel, LPG / Dual Fuel Features: Full Zinc, Extra Ten Penrite HPR Diesel is a premium high performance mineral SAE 20W-60, non-friction modified engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC and Penrite's advanced EXTRA TEN technology.
HPRD005	5 Litres	4	
HPRD010	10 Litres	1	
HPRD020	20 Litres	1	
HPRD060	60 Litres	1	
HPRD205	205 Litres	1	



HPR Diesel 5

Product Code	Pack Size	Carton Qty	Viscosity: 5W-40 Base Oil: Semi Synthetic Alternative Viscosities: 5W-30, 10W-30, 10W-40
HPRD5001	1 Litre	6	Key Specifications: API CI-4 PLUS/SL, ACEA A3/B4/E7, MB 228.3/229.3, VW 502.00/505.00, JASO MA, JASO DH-1, Global DLD-2/DLD-3, Ford M2C153-H/171-C/913-B/913-C Fuel Types: Diesel, LPG / Dual Fuel Features: Full Zinc, Extra Ten Penrite HPR Diesel 5 is a premium high performance semi synthetic SAE 5W-40, non-friction modified engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC and Penrite's advanced EXTRA TEN technology.
HPRD5005	5 Litres	4	
HPRD5010	10 Litres	1	
HPRD5020	20 Litres	1	
HPRD5060	60 Litres	1	
HPRD5205	205 Litres	1	
HPRD51000	1000 Litres	1	



HPR Diesel 10

Product Code	Pack Size	Carton Qty	Viscosity: 10W-40 Base Oil: Semi Synthetic Alternative Viscosities: 10W-30
HPRD10001	1 Litre	6	Key Specifications: API CI-4 PLUS/SL, ACEA A3/B4/E7, MB 228.3/229.3, VW 502.00/505.00, JASO MA, JASO DH-1, Global DLD-2/DLD-3, Ford M2C153-H/171-C Fuel Types: Diesel, LPG / Dual Fuel Features: Full Zinc, Extra Ten Penrite HPR Diesel 10 is a premium high performance semi synthetic SAE 10W-40, non-friction modified engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC and Penrite's advanced EXTRA TEN technology.
HPRD10005	5 Litres	4	
HPRD10010	10 Litres	1	
HPRD10020	20 Litres	1	
HPRD10060	60 Litres	1	
HPRD10205	205 Litres	1	



HPR Diesel 15

Product Code	Pack Size	Carton Qty	Viscosity: 15W-50 Base Oil: Semi Synthetic Alternative Viscosities: 15W-40, 20W-40, 20W-50
HPRD15001	1 Litre	6	Key Specifications: API CI-4 PLUS/SL, ACEA A3/B4/E7, Ford M2C171-C/153-F/153-G, JASO MA, JASO DH-1, MB 228.3/229.3 Fuel Types: Diesel, LPG / Dual Fuel Features: Full Zinc, Extra Ten Penrite HPR Diesel 15 is a premium high performance semi synthetic SAE 15W-50, non-friction modified engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC and Penrite's advanced EXTRA TEN technology.
HPRD15005	5 Litres	4	
HPRD15010	10 Litres	1	
HPRD15020	20 Litres	1	
HPRD15060	60 Litres	1	
HPRD15205	205 Litres	1	



HPR Gas

Product Code	Pack Size	Carton Qty	Viscosity: 20W-60 Base Oil: Premium Mineral Alternative Viscosities: 20W-40, 20W-50, SAE 30
HPRG001	1 Litre	6	Key Specifications: API CG-4 /SL, VW 501.01, Holden HN 2314, MB 228.3/229.1, Ford WSE-M2C902-A3, JASO MA Fuel Types: LPG / Dual Fuel, Petrol / E10 Features: Full Zinc, Extra Ten Penrite HPR Gas is a premium high performance mineral SAE 20W-60, non-friction modified engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC and Penrite's advanced EXTRA TEN technology.
HPRG005	5 Litres	4	
HPRG020	20 Litres	1	
HPRG060	60 Litres	1	
HPRG205	205 Litres	1	



HPR Gas 10

Product Code	Pack Size	Carton Qty	Viscosity: 10W-50 Base Oil: Semi Synthetic Alternative Viscosities: 10W-40, 15W-40
HPRG10001	1 Litre	6	Key Specifications: API CI-4/SL, ACEA A3/B3, MB 228.1/229.3, Ford M2C153-F/153-G/905-A3/910-A, JASO MA, Holden HN 2314, VW 502.00/505.00 Fuel Types: LPG / Dual Fuel, Petrol / E10, Diesel Features: Full Zinc, Extra Ten Penrite HPR Gas 10 is a premium high performance semi synthetic SAE 10W-50, non-friction modified engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC and Penrite's advanced EXTRA TEN technology.
HPRG10005	5 Litres	4	
HPRG10020	20 Litres	1	
HPRG10060	60 Litres	1	
HPRG10205	205 Litres	1	



PENRITE PRODUCT	Litres							
	1	5	6	10	20	60	205	1000
HPR 0	●	●	-	-	●	-	●	-
HPR 5	●	●	●	●	●	●	●	-
HPR 10	●	●	●	●	●	●	●	-
HPR 15	●	●	-	●	●	●	●	-
HPR 30	●	●	-	-	●	●	●	-
HPR 40	●	●	-	-	●	●	●	-
HPR 50	●	●	-	-	●	●	●	-
HPR Diesel	●	●	-	●	●	●	●	-
HPR Diesel 5	●	●	-	●	●	●	●	●
HPR Diesel 10	●	●	-	●	●	●	●	-
HPR Diesel 15	●	●	-	●	●	●	●	-
HPR Gas	●	●	-	-	●	●	●	-
HPR Gas 10	●	●	-	-	●	●	●	-

Key Features & Benefits of the HPR range:

- > EXTRA TEN provides an extra layer of protection
- > FULL ZINC to minimise engine wear
- > OEM Approvals on selected products
- > Latest API and ACEA industry specifications
- > Race bred for road and track
- > Available in multiple sizes to suit most applications



ENVIRO+™

Enviro+ engine oils are a range of highly advanced, Full Synthetic Low and Mid SAP engine oils that have been developed for late model fuel efficient passenger, light and heavy duty vehicles including those fitted with long life catalysts such as Diesel Particulate Filter's (DPF's). The Enviro+ range has been developed to provide long lasting protection for vehicles with extended oil drain intervals as well as providing OEM approved products to satisfy new vehicle warranty requirements. The range covers petrol, E85 and diesel fuel types.

Enviro+ 5W-20

Product Code	Pack Size	Carton Qty	Viscosity: 5W-20 Base Oil: Full Synthetic Low-Mid SAPS Alternative Viscosities: 0W-20
EPLUS5W20001	1 Litre	6	Key Specifications: API SN, ACEA C2, GMW 16182, Chrysler MS-6395, Ford M2C153-H, Ford M2C925-A, Ford M2C930-A, Ford M2C945-A Fuel Types: Petrol / E10, Diesel, Diesel with DPF Features: Latest oil technology, Fuel Saving
EPLUS5W20005	5 Litres	4	
EPLUS5W20020	20 Litres	1	
EPLUS5W20205	205 Litres	1	

Penrite Enviro+ 5W-20 is a premium full synthetic SAE 5W-20, fuel efficient, low viscosity engine oil. It is manufactured using the latest advances in mid SAPS (Sulphated Ash, Phosphorus and Sulphur) additive technology.



Enviro+ 5W-30

Product Code	Pack Size	Carton Qty	Viscosity: 5W-30 Base Oil: Full Synthetic Low-Mid SAPS
EPLUS5W30001	1 Litre	6	Key Specifications: BMW Long Life-04, MB 229.51/229.31, VW 505.01 (2005), Porsche C30 OEM Approvals: VW 504.00/507.00 Fuel Types: Petrol / E10, Diesel, Diesel with DPF Features: Long Drain, Fuel Saving, Manufacturer Approved
EPLUS5W30005	5 Litres	4	
EPLUS5W30010	10 Litres	1	
EPLUS5W30020	20 Litres	1	
EPLUS5W30060	60 Litres	1	
EPLUS5W30205	205 Litres	1	

Penrite Enviro+ 5W-30 is a premium full synthetic SAE 5W-30 Original Equipment Manufacturer (OEM), Fully Licensed and Warranty Approved engine oil. It is fully approved for warranty service for VAG (Volkswagen Automotive Group) vehicles such as Volkswagen / Audi / Skoda / Seat engines using the latest advances in low to mid SAPS (Sulphated Ash, Phosphorus and Sulphur) additive technology.



Enviro+ 5W-40

Product Code	Pack Size	Carton Qty	Viscosity: 5W-40 Base Oil: Full Synthetic Low-Mid SAPS Alternative Viscosities: 0W-40, 5W-30, 10W-30
EPLUS5W40001	1 Litre	6	Key Specifications: API SN/CF, ACEA C2/C3, MB 229.31, VW 505.01 OEM Approvals: VW 502.00/505.00, GM dexos2™ Licensed, Porsche A40, MB-Approval 229.51, BMW Longlife-04 Fuel Types: Petrol / E10, Diesel, Diesel with DPF Features: Extra Ten, Latest oil technology, Manufacturer Approved
EPLUS5W40005	5 Litres	4	
EPLUS5W40010	10 Litres	1	
EPLUS5W40020	20 Litres	1	
EPLUS5W40060	60 Litres	1	
EPLUS5W40205	205 Litres	1	

Penrite Enviro+ 5W-40 is a premium full synthetic SAE 5W-40 Original Equipment Manufacturer (OEM), Fully Licensed and Warranty Approved engine oil. It is fully licensed and approved for warranty service for particular GM / Holden (dexos 2™), VW, Audi, Skoda, Seat, BMW, Mercedes Benz and Porsche vehicles. It uses the latest advances in mid SAPS (Sulphated Ash, Phosphorus and Sulphur) additive technology.



Key Features & Benefits of Enviro+:

- > Designed for low emission engines
- > FULL SYNTHETIC
- > FUEL SAVING technology on selected products
- > E85 Fuel compatible for selected products
- > Maximise DPF and exhaust catalyst life
- > Vehicle Manufacturer Approvals
- > Latest API and ACEA Industry Specifications



Visit our website at www.penriteoil.com

Enviro+ 10W-40

Product Code	Pack Size	Carton Qty
EPLUS10W40001	1 Litre	6
EPLUS10W40005	5 Litres	4
EPLUS10W40010	10 Litres	1
EPLUS10W40020	20 Litres	1
EPLUS10W40060	60 Litres	1
EPLUS10W40205	205 Litres	1

Viscosity: 10W-40 Base Oil: Full Synthetic Low-Mid SAPS
Alternative Viscosities: 15W-40

Key Specifications: API CJ-4/SM, ACEA E4/E6/E9, MB 228.31, MAN 3277CRT/3477/3575, Caterpillar ECF-3-a, MTU Type 3, JASO DH-2
OEM Approvals: MB-Approval 228.51, Cummins CES 20081, Volvo VDS-4, Mack EO-O Premium Plus, Renault RLD-3

Fuel Types: Diesel with DPF, Diesel, Petrol

Features: Extra Ten, Latest oil technology, Manufacturer Approved

Penrite Enviro+ 10W-40 is a highly advanced, full synthetic OEM Warranty Approved, extended drain/mixed fleet, ultra high performance diesel (UHPD) oil. It is formulated with the highest standard additives to ensure protection against wear, corrosion, oil oxidation and sludge.



Enviro+ C-4

Product Code	Pack Size	Carton Qty
EPLUSC4001	1 Litre	6
EPLUSC4005	5 Litres	4
EPLUSC4010	10 Litres	1
EPLUSC4020	20 Litres	1
EPLUSC4205	205 Litres	1

Viscosity: 5W-30 Base Oil: Full Synthetic Low-Mid SAPS

Key Specifications: ACEA C4, Renault RN 0720, Ford M2C934-B (level)

Fuel Types: Petrol / E10, Diesel, Diesel with DPF

Features: Maximises diesel particulate life, Improved fuel economy

Penrite Enviro+ C-4 is a premium full synthetic SAE 5W-30 engine oil. It is manufactured using the latest advances in low SAPS (Sulphated Ash, Phosphorus and Sulphur) additive technology.



Enviro+ DL-1

Product Code	Pack Size	Carton Qty
EPLUSDL1001	1 Litre	6
EPLUSDL1005	5 Litres	4
EPLUSDL1010	10 Litres	1
EPLUSDL1020	20 Litres	1
EPLUSDL1060	60 Litres	1
EPLUSDL1205	205 Litres	1

Viscosity: 5W-30 Base Oil: Full Synthetic Low-Mid SAPS

Key Specifications: ACEA C2

OEM Approvals: JASO DL-1 Registration Number - DO61POA001

Fuel Types: Petrol / E10, Diesel, Diesel with DPF

Features: Maximises DPF life and engine performance, Manufacturer Approved

Penrite Enviro+ DL-1 is a premium full synthetic SAE 5W-30 engine oil. It is manufactured using the latest advances in low to mid SAPS (Sulphated Ash, Phosphorus and Sulphur) additive technology.



Enviro+ GF-5

Product Code	Pack Size	Carton Qty
EPLUSGF5001	1 Litre	6
EPLUSGF5005	5 Litres	4
EPLUSGF5010	10 Litres	1
EPLUSGF5020	20 Litres	1
EPLUSGF5060	60 Litres	1
EPLUSGF5205	205 Litres	1

Viscosity: 5W-30 Base Oil: Full Synthetic Low-Mid SAPS
Alternative Viscosities: ILSAC GF-3, GF-4

Key Specifications: API SN Resource Conserving, ILSAC GF-5, Ford M2C946-A, GM 4718M/6094M, Chrysler MS 6395

OEM Approvals: GM dexos1™ Licensed

Fuel Types: Petrol / E10, E85, LPG / Dual Fuel

Features: Latest oil technology, Manufacturer Approved

Penrite Enviro+ GF-5 is a premium full synthetic SAE 5W-30 Original Equipment Manufacturer (OEM), Fully Licensed and Warranty Approved engine oil. It is fully approved for warranty service for GM, Holden and HSV petrol engined vehicles. It uses the latest advances in low to mid SAPS (Sulphated Ash, Phosphorus and Sulphur) additive technology.



PENRITE PRODUCT	Litres					
	1	5	10	20	60	205
Enviro+ 5W-20	●	●	-	●	-	●
Enviro+ 5W-30	●	●	●	●	●	●
Enviro+ 5W-40	●	●	●	●	●	●
Enviro+ 10W-40	●	●	●	●	●	●
Enviro+ C-4	●	●	●	●	-	●
Enviro+ DL-1	●	●	●	●	●	●
Enviro+ GF-5	●	●	●	●	●	●



Visit our website at www.penriteoil.com

10 TENTHS RACING

100% PERFORMANCE

Penrite 10 Tenths Racing Oils are high performance, premium full synthetic engine oils that provide the ultimate protection in on road and competition applications. All products are made from man-made 100% PAO (Group 4) and Ester (Group 5) synthetics and contain full zinc levels for protection and engine wear minimisation.

Racing 0

Product Code	Pack Size	Carton Qty	Viscosity: 0W-20 Base Oil: 100% PAO & Ester Full Synthetic
RACING0W20001	1 Litre	6	Key Specifications: API SL/CF, BMW LL-98, MB 229.1 Fuel Types: Petrol / E10, Racing Features: Full Zinc+, Shear Free, Low Friction, Competition Proven Penrite Racing 0 is a premium, full synthetic, 100% PAO & Ester SAE 0W-20, SHEAR FREE modern engine oil. It contains an anti-wear package of engine wear protection with FULL ZINC+ (exceeding 2200+ ppm levels) for ultimate engine wear protection.
RACING0W20005	5 Litres	4	
RACING0W20020	20 Litres	1	
RACING0W20205	205 Litres	1	



Racing 5

Product Code	Pack Size	Carton Qty	Viscosity: 5W-30 Base Oil: 100% PAO & Ester Full Synthetic Alternative Viscosities: 5W-20
RACING5W30001	1 Litre	6	Key Specifications: API SL/CF, ACEA A1/B1, BMW LL-98, MB 229.1, Ford M2C913-A/B/M2C912-A1 Fuel Types: Petrol / E10, Diesel, LPG / Dual Fuel, Racing Features: Full Zinc+, Shear Free, Low Friction, Competition Proven Penrite Racing 5 is a premium, full synthetic, 100% PAO & Ester SAE 5W-30, SHEAR FREE modern engine oil. It contains an anti-wear package of engine wear protection with FULL ZINC+ (exceeding 2200+ ppm levels) for ultimate engine wear protection.
RACING5W30005	5 Litres	4	
RACING5W30020	20 Litres	1	
RACING5W30205	205 Litres	1	



Racing 10

Product Code	Pack Size	Carton Qty	Viscosity: 10W-40 Base Oil: 100% PAO & Ester Full Synthetic Alternative Viscosities: 10W-30
RACING10W40001	1 Litre	6	Key Specifications: API SN/CF, ACEA A3/B3, BMW LL-98, MB 229.1/229.3, VW 502.00/505.00, Porsche GL Fuel Types: Petrol / E10, Diesel, LPG / Dual Fuel, Racing Features: Full Zinc+, Shear Free, Low Friction, Competition Proven Penrite Racing 10 is a premium, full synthetic, 100% PAO & Ester SAE 10W-40, SHEAR FREE modern engine oil. It contains an anti-wear package of engine wear protection with FULL ZINC+ (exceeding 2200+ ppm levels) for ultimate engine wear protection.
RACING10W40005	5 Litres	4	
RACING10W40020	20 Litres	1	
RACING10W40205	205 Litres	1	



Racing 15

Product Code	Pack Size	Carton Qty	Viscosity: 15W-50 Base Oil: 100% PAO & Ester Full Synthetic Alternative Viscosities: 15W-40, 20W-40
RACING15W50001	1 Litre	6	Key Specifications: API SN/CF, ACEA A3/B3, BMW LL-98, MB 229.1, VW 502.00/505.00, Porsche GL Fuel Types: Petrol / E10, Diesel, LPG / Dual Fuel, Racing Features: Full Zinc+, Shear Free, Low Friction, Competition Proven Penrite Racing 15 is a premium, full synthetic, 100% PAO & Ester SAE 15W-50, SHEAR FREE modern engine oil. It contains an anti-wear package of engine wear protection with FULL ZINC+ (exceeding 2200+ ppm levels) for ultimate engine wear protection.
RACING15W50005	5 Litres	4	
RACING15W50020	20 Litres	1	
RACING15W50205	205 Litres	1	



Racing 20

Product Code	Pack Size	Carton Qty
RACING20W60001	1 Litre	6
RACING20W60005	5 Litres	4
RACING20W60020	20 Litres	1
RACING20W60205	205 Litres	1

Viscosity: 20W-60 **Base Oil:** 100% PAO & Ester Full Synthetic
Alternative Viscosities: 20W-50, 25W-60

Key Specifications: API SN/CF, ACEA A3/B3, BMW LL-98, MB 229.1
Fuel Types: Petrol / E10, Diesel, LPG / Dual Fuel, Racing
Features: Full Zinc+, Shear Free, Low Friction, Competition Proven

Penrite Racing 20 is a premium, full synthetic, 100% PAO & Ester SAE 20W-60, SHEAR FREE modern engine oil. It contains an anti-wear package of engine wear protection with FULL ZINC+ (exceeding 2200+ ppm levels) for ultimate engine wear protection.



Running-In Oil

Product Code	Pack Size	Carton Qty
RUN005	5 Litres	4
RUN020	20 Litres	1
RUN205	205 Litres	1

Viscosity: 15W-40 **Base Oil:** Premium Mineral
Alternative Viscosities: 20W-40, 20W-50, SAE 30

Key Specifications: API SF/CC
Fuel Types: Petrol / E10, Diesel, E85, LPG / Dual Fuel
Features: High Zinc, Non-friction modified

Penrite Running-In Oil is a premium mineral, SAE 15W-40, non friction modified, engine oil. It contains HIGH ZINC (exceeding 1600+ ppm levels) for ultimate engine wear protection during the running in period for re-built or new crate engines.



Race Castor Oil

Product Code	Pack Size	Carton Qty
RCAS001	1 Litre	6

Viscosity: 20W-40 **Base Oil:** Castor Synthetic Oil

Fuel Types: Petrol / E10, Racing
Features: Soluble in methanol and petrol, Longer engine life

Penrite 10 Tenths Race Castor is an ashless SAE 20W-40 engine oil manufactured from high quality castor vegetable oil, synthetic ester, anti-corrosion additives and an advanced anti-oxidant.



PENRITE PRODUCT	Litres			
	1	5	20	205
Racing 0	●	●	●	●
Racing 5	●	●	●	●
Racing 10	●	●	●	●
Racing 15	●	●	●	●
Racing 20	●	●	●	●
Running-In Oil	-	●	●	●
Race Castor Oil	●	-	-	-

Expert Tip:

Penrite's 10 Tenths Racing range is Shear Free. What does that mean to you? When your oil does not lose its viscosity as a result of high loads and stress, you get ultimate protection for your engine for the life of the oil drain.



Key Features & Benefits of 10 Tenths Racing:

- > 100% PAO & ESTER FULL SYNTHETIC (except Running-In and Race Castor Oil)
- > FULL ZINC+ to minimise wear
- > SHEAR FREE formulation reduces viscosity loss
- > Suitable for mixed fuel types
- > Longer engine life by reducing engine deposits
- > Premium Synthetic base oils for wear reduction
- > European-standard additive packages
- > Longer oil life



10 TENTHS PREMIUM

100% PERFORMANCE

10 Tenths Premium Synthetic oils are high performance, premium full synthetic engine oils that provide the ultimate protection in on road and competition applications.

Premium 0

Product Code	Pack Size	Carton Qty	Viscosity: 0W-50 Base Oil: 100% PAO & Ester Full Synthetic Alternative Viscosities: 0W-40, 5W-40
--------------	-----------	------------	---

FSOW50001	1 Litre	6
FSOW50005	5 Litres	4
FSOW50020	20 Litres	1
FSOW50205	205 Litres	1

Key Specifications: API SN/CF, ACEA A3/B3, BMW LL-98, MB 229.1/229.3, VW 502.00/505.00, Porsche GL
Fuel Types: Petrol / E10, Diesel, LPG / Dual Fuel, Racing
Features: Full Zinc, Extra Ten, Latest oil technology, Premium PAO & Ester

Penrite Premium 0 is a premium, full synthetic, 100% PAO & Ester SAE 0W-50, non-friction modified modern engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC+ (exceeding 2200 ppm levels) and Penrite's advanced EXTRA TEN technology.



Premium 5

Product Code	Pack Size	Carton Qty	Viscosity: 5W-60 Base Oil: 100% PAO & Ester Full Synthetic Alternative Viscosities: 5W-50, 10W-50
--------------	-----------	------------	--

FS5W60001	1 Litre	6
FS5W60005	5 Litres	4
FS5W60020	20 Litres	1
FS5W60205	205 Litres	1

Key Specifications: API SN/CF, ACEA A3/B3, BMW LL-98, MB 229.1, VW 502.00/505.00
Fuel Types: Petrol / E10, Diesel, LPG / Dual Fuel, Racing
Features: Full Zinc, Extra Ten, Latest oil technology, Premium PAO & Ester

Penrite Premium 5 is a premium, full synthetic, 100% PAO & Ester SAE 5W-60, non-friction modified modern engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC+ (exceeding 2200 ppm levels) and Penrite's advanced EXTRA TEN technology.



Premium 10

Product Code	Pack Size	Carton Qty	Viscosity: 10W-70 Base Oil: 100% PAO & Ester Full Synthetic Alternative Viscosities: 10W-50, 10W-60
--------------	-----------	------------	--

FS10W70001	1 Litre	6
FS10W70005	5 Litres	4
FS10W70020	20 Litres	1
FS10W70205	205 Litres	1

Key Specifications: API SN/CF, ACEA A3/B3, BMW LL-98, MB 229.1
Fuel Types: Petrol / E10, Diesel, LPG / Dual Fuel, Racing
Features: Full Zinc, Extra Ten, Latest oil technology, Premium PAO & Ester

Penrite Premium 10 is a premium, full synthetic, 100% PAO & Ester SAE 10W-70, non-friction modified modern engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC+ (exceeding 2200 ppm levels) and Penrite's advanced EXTRA TEN technology.



PENRITE PRODUCT	Litres			
	1	5	20	205
Premium 0	●	●	●	●
Premium 5	●	●	●	●
Premium 10	●	●	●	●



Key Features & Benefits of 10 Tenths Premium:

- > FULL ZINC to minimise engine wear
- > EXTRA TEN provides better engine protection
- > FULL ZINC+ to minimise engine wear
- > Premium Synthetic 100% PAO & Ester base oils
- > Latest API and industry specifications
- > For road and competition use
- > Suitable for mixed fuel types
- > For cars, motorcycles and marine
- > Used by race engine builders



Visit our website at www.penriteoil.com

EVERYDAY™

Penrite "Everyday" engine oils are premium quality Full Synthetic, Semi Synthetic and Premium Mineral engine lubricants developed to meet the demands of everyday driving in modern passenger car, light and heavy commercial vehicles. The range covers ideal viscosity ranges for everyday driving conditions as well as the latest industry specifications as demanded by modern vehicle manufacturers to meet their requirements including extended oil drain periods.

Everyday 5W-30

Product Code	Pack Size	Carton Qty	Viscosity: 5W-30 Base Oil: Premium Mineral
--------------	-----------	------------	--

PM005001	1 Litre	6
PM005005	5 Litres	4

Key Specifications: API SN Resource Conserving, ILSAC GF-5
Fuel Types: Petrol / E10, E85, LPG / Dual Fuel
Features: Latest API SN Technology, ILSAC GF-5 Fuel saving performance

Penrite Everyday 5W-30 is a premium quality mineral, SAE 5W-30, friction modified, petrol engine oil made from pure hydrocracked base oils and an advanced additive system.



Everyday 10W-30

Product Code	Pack Size	Carton Qty	Viscosity: 10W-30 Base Oil: Premium Mineral
--------------	-----------	------------	---

PM010001	1 Litre	6
PM010005	5 Litres	4

Key Specifications: API SN Resource Conserving, ILSAC GF-5
Fuel Types: Petrol / E10, E85, LPG / Dual Fuel
Features: Latest API SN Technology, ILSAC GF-5 Fuel saving performance

Penrite Everyday 10W-30 is a premium quality, mineral, SAE 10W-30, friction modified, petrol engine oil made from pure hydrocracked base oils and an advanced additive system.



Everyday 10W-40 Full Synthetic

Product Code	Pack Size	Carton Qty	Viscosity: 10W-40 Base Oil: Full Synthetic Alternative Viscosities: 10W-30, 15W-40
--------------	-----------	------------	---

EDS10006	6 Litres	3
----------	----------	---

Key Specifications: API SN/CF, ACEA A3/B4, JASO MA, BMW LL-01, MB 229.3/229.5
Fuel Types: Petrol / E10, Diesel, LPG / Dual Fuel
Features: Full Zinc, Extra Ten, Latest oil technology

Penrite Everyday Full Synthetic 10W-40 is a premium, full synthetic, SAE 10W-40, engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC and Penrite's advanced EXTRA TEN technology.



Everyday 15W-40

Product Code	Pack Size	Carton Qty	Viscosity: 15W-40 Base Oil: Premium Mineral
--------------	-----------	------------	---

PM015001	1 Litre	6
PM015005	5 Litres	4

Key Specifications: API SN CF
Fuel Types: Petrol / E10, LPG / Dual Fuel
Features: Latest API SN Technology, Maximum wear protection, Minimum sludge formation, Reduced piston deposits

Penrite Everyday 15W-40 is a premium quality, mineral, SAE 15W-40, engine oil formulated to give enhanced protection against wear, corrosion, oil oxidation and sludge. It meets the latest API SN/CF specification.



Visit our website at www.penriteoil.com

Everyday 20W-50

Product Code	Pack Size	Carton Qty	Viscosity: 20W-50 Base Oil: Premium Mineral
PMO20001	1 Litre	6	Key Specifications: API SN Fuel Types: Petrol / E10 Features: Latest API SN Technology, Maximum wear protection, Minimum sludge formation, Reduced piston deposits
PMO20005	5 Litres	4	
			Penrite Everyday 20W-50 is a high quality premium mineral, engine oil made from pure hydrocracked base oils and an advanced anti-wear additive system.



Everyday Diesel FX 15W-40

Product Code	Pack Size	Carton Qty	Viscosity: 15W-40 Base Oil: Premium Mineral
DFX001	1 Litre	6	Key Specifications: API CI-4 PLUS/SL, ACEA E7/A3/B3, MIL-PRF-2104H/NATO O-1236, MB 228.3/229.1, MAN 3275, Allison C4, Global DHD-1, Volvo VDS-3, JASO DH-1, Cummins CES 20071/72/76/77/78, Caterpillar ECF-1a Fuel Types: Diesel, Petrol / E10 Features: Excellent protection of engine parts
DFX005	5 Litres	4	
DFX010	10 Litres	1	
			Penrite Everyday Diesel FX is a premium quality, mineral, SAE 15W-40, mid ash, Full Zinc, diesel engine oil formulated with high quality additives and hydrocracked mineral base oils. It is designed predominantly for use in four stroke heavy duty diesel engines.



Everyday Plus 5W-40

Product Code	Pack Size	Carton Qty	Viscosity: 5W-40 Base Oil: Semi Synthetic Alternative Viscosities: 5W-30
ED5W40001	1 Litre	6	Key Specifications: API SM/CF, ACEA A3/B3 Fuel Types: Petrol / E10, Diesel, LPG / Dual Fuel Features: Protection of engine parts from wear
ED5W40005	5 Litres	4	
			Penrite Everyday Plus 5W-40 is a premium quality, semi synthetic, SAE 5W-40 engine oil for use in a wide range of modern motor vehicles. It is formulated from a carefully balanced blend of high performance additives and a mix of mineral and synthetic base oils to provide complete protection for engines.



Everyday Plus 10W-40

Product Code	Pack Size	Carton Qty	Viscosity: 10W-40 Base Oil: Semi Synthetic Alternative Viscosities: 10W-30
ED10W40001	1 Litre	6	Key Specifications: API SM/CF, ACEA A3/B3 Fuel Types: Petrol / E10, Diesel, LPG / Dual Fuel Features: Protection of engine parts from wear
ED10W40005	5 Litres	4	
			Penrite Everyday Plus 10W-40 is a premium quality, semi synthetic, SAE 10W-40 engine oil for use in a wide range of modern motor vehicles. It is formulated from a carefully balanced blend of high performance additives and a mix of mineral and synthetic base oils to provide complete protection for engines.



Everyday Plus 15W-40

Product Code	Pack Size	Carton Qty	Viscosity: 15W-40 Base Oil: Semi Synthetic Alternative Viscosities: 20W-40
ED15W40001	1 Litre	6	Key Specifications: API SM/CF, ACEA A3/B3 Fuel Types: Petrol / E10, LPG / Dual Fuel Features: Protection of engine parts from wear
ED15W40005	5 Litres	4	
			Penrite Everyday Plus 15W-40 is a premium quality, semi synthetic, SAE 15W-40 engine oil for use in a wide range of modern motor vehicles. It is formulated from a carefully balanced blend of high performance additives and a mix of mineral and synthetic base oils to provide complete protection for engines.



Stops Oils Burning 30-70

Product Code	Pack Size	Carton Qty	Viscosity: 30-70 Base Oil: Premium Mineral
PMO30001	1 Litre	6	Key Specifications: API SJ Fuel Types: Petrol / E10 Features: Reduces oil consumption, Maintains oil pressure
PMO30005	5 Litres	4	
			Penrite Stops Oil Burning 30-70 is a high quality premium mineral, engine oil designed to control oil consumption in worn or older engines.



Running-In Oil

Product Code	Pack Size	Carton Qty	Viscosity: 15W-40 Base Oil: Premium Mineral Alternative Viscosities: 20W-40, 20W-50, SAE 30
RUN005	5 Litres	4	Key Specifications: API SF/CC Fuel Types: Petrol / E10, Diesel, E85, LPG / Dual Fuel Features: High Zinc, Non-friction modified
RUN020	20 Litres	1	
RUN205	205 Litres	1	
			Penrite Running-In Oil is a premium mineral, SAE 15W-40, non friction modified, engine oil. It contains HIGH ZINC (exceeding 1600+ ppm levels) for ultimate engine wear protection during the running in period for re-built or new crate engines.



PENRITE PRODUCT	Litres					
	1	5	6	10	20	205
Everyday 5W-30	●	●	-	-	-	-
Everyday 10W-30	●	●	-	-	-	-
Everyday 10W-40	-	-	●	-	-	-
Everyday 15W-40	●	●	-	●	-	-
Everyday 20W-50	●	●	-	-	-	-
Everyday Diesel FX 15W-40	●	●	-	●	-	-
Everyday Plus 5W-40	●	●	-	-	-	-
Everyday Plus 10W-40 Full Synthetic	●	●	-	-	-	-
Everyday Plus 15W-40	●	●	-	-	-	-
Stop Oils Burning 30-70	●	●	-	-	-	-
Running-In Oil	-	●	-	-	●	●

Key Features & Benefits of the Everyday Range:

- Complete engine protection
- Available in convenient 5L handy packs
- Current API SN specification*
- Fuel saving API SN resource conserving specification*
*Check PDS for specified products

Expert Tip:



API SN meet MY (MotorYear) 2010 requirements of automotive manufacturers and supersseeds SM (meets MY 2004) and SL (meets 2001-2004) etc.



Pro Workshop Range


The Penrite Pro range of engine oils has been specifically developed for workshop, car dealerships and professional vehicle service and repair centres. They have been blended with the latest technology additives along with 100% pure hydrocracked base stocks. These professional range of oils have been blended to meet the oil specifications for most Australian, US, European, Korean, Asian and Japanese produced vehicles.

Pro 5

Product Code	Pack Size	Carton Qty	Viscosity: 5W-30 Base Oil: Semi Synthetic Alternative Viscosities: 5W-20, 7.5W-30	
PRO5020	20 Litres	1	Key Specifications: API SN Resource Conserving, ILSAC GF-5, Ford M2C910-A OEM Approvals: GM dexos1™ Fuel Types: Petrol / E10, E85, LPG / Dual Fuel Features: Catalytic converter compatible, Minimises sludge formation	
PRO5205	205 Litres	1		
			 Penrite Pro 5 is an SAE 5W-30 premium quality, semi synthetic engine oil developed for use in modern petrol and LPG engines by professional workshop and vehicle service centres.	

Pro 10


Product Code	Pack Size	Carton Qty	Viscosity: 10W-30 Base Oil: Semi Synthetic Alternative Viscosities: 7.5W-30
PRO10020	20 Litres	1	Key Specifications: API SN Resource Conserving, ILSAC GF-5, Ford M2C910-A Fuel Types: Petrol / E10, E85, LPG / Dual Fuel Features: Catalytic converter compatible, Minimises sludge formation
PRO10205	205 Litres	1	
			Penrite Pro 10 is an SAE 10W-30 premium quality, semi synthetic engine oil developed for use in modern petrol and LPG engines by professional workshop and vehicle service centres.



Pro 15 Plus

Product Code	Pack Size	Carton Qty	Viscosity: 15W-50 Base Oil: Premium Mineral Alternative Viscosities: 15W-40, 20W-40, 20W-50
PRO15PLUS020	20 Litres	1	Key Specifications: API SN/CF, ACEA A3/B3 Fuel Types: Petrol / E10, LPG / Dual Fuel Features: Catalytic converter compatible, Reduces piston deposits
PRO15PLUS205	205 Litres	1	
			Penrite Pro 15 Plus is an SAE 15W-50 premium mineral engine oil developed for use in modern petrol, LPG and light duty diesel engines by professional workshop and vehicle service centres.

Pro 20

Product Code	Pack Size	Carton Qty	Viscosity: 20W-50 Base Oil: Premium Mineral	
PRO20020	20 Litres	1	Key Specifications: API SM/CF Fuel Types: Petrol / E10, Diesel Features: Full Zinc, Catalytic converter compatible	
PRO20205	205 Litres	1		
<div>Penrite Pro 20 is an SAE 20W-50 premium quality mineral engine oil developed for use in petrol, LPG and light duty diesel engines by professional workshop and vehicle service centres.</div>				

Pro Extra

Product Code	Pack Size	Carton Qty	Viscosity: 10W-40 Base Oil: Semi Synthetic Alternative Viscosities: 10W-30
PROEXTRA020	20 Litres	1	Key Specifications: API SN/CF, ACEA A3/B3 Fuel Types: Petrol / E10, Diesel, LPG / Dual Fuel Features: High Zinc, Catalytic converter compatible
PROEXTRA205	205 Litres	1	
			Penrite Pro Extra is an SAE 10W-40 premium quality mineral engine oil developed for use in petrol, LPG and light duty diesel engines by professional workshop and vehicle service centres.

PENRITE PRODUCT	Litres	
	20	205
Pro 5	●	●
Pro 10	●	●
Pro 15 Plus	●	●
Pro 20	●	●
Pro Extra	●	●

Key Features & Benefits of the PRO Workshop Range:

- Designed especially for workshops and garages
- Latest technology additives
- For use in petrol and light duty diesel engines



Expert Tip:

Search the Penrite website for Training fact sheets, videos, technical bulletins and FAQs.



Visit our website at www.penriteoil.com



Visit our website at www.penriteoil.com



A Better Class of Oil

The Penrite Difference

- Family owned and operated, Australian made since 1926
- Australia's number 1 independent oil company
- Premium brand using only quality "virgin" base oils and additives
- High level customer satisfaction and voted number 1 preferred supplier
- The product offer covers a wide range of applications including modern and classic automotive, motorcycles, marine, agriculture, horticulture, mining, heavy duty, commercial and industrial
- Highly trained technical training and customer service representation
- Complete technical backup support 7 days a week
- Ability to make "problem solving" products for specific applications
- **EXTRA TEN, FULL ZINC** SAE viscosity products including **SHEAR FREE**
- First to market with the latest industry technology and manufacturer approvals
- 100% quality satisfaction guarantee



Visit our website at www.penriteoil.com