



GREASES

With our extensive range of grease products covering most applications in the industrial and automotive sectors, from wheel and trailer bearings to anti-seize and assembly compounds.



Visit our website at www.penriteoil.com

High Temperature Wheel Bearing Grease

| Product Code | Pack Size | Carton Qty | Colour: Purple |
|--------------|---------------|------------|---|
| HTGR00045 | 450 Grams | 12 | <p>Key Specifications: NLGI 2, DIN 51502, ISO 6743, KP2N-30, ISO-L-XCDIB2, Volvo 97720 (level)</p> <p>Penrite High Temperature Wheel Bearing Grease is an NLGI No 2, purple coloured, high temperature all-purpose, extreme pressure (EP) grease manufactured from high quality base oils and a lithium complex soap. It utilises a special borate additive system for effective extreme pressure performance and anti-wear protection.</p> |
| HTGR0005 | 500 Grams | 12 | |
| HTGR0025 | 2.5 Kilograms | 6 | |
| HTGR020 | 20 Kilograms | 1 | |
| HTGR055 | 55 Kilograms | 1 | |
| HTGR180 | 180 Kilograms | 1 | |



Molygrease EP 3%

| Product Code | Pack Size | Carton Qty | Colour: Grey |
|--------------|---------------|------------|--|
| MOLY00045 | 450 Grams | 12 | <p>Key Specifications: NLGI 2</p> <p>Penrite Molygrease EP 3% is a lithium grease containing molybdenum disulphide for the lubrication of ball joints, king pins and universal joints, as well as open surfaces such as trailer couplings.</p> |
| MOLY0005 | 500 Grams | 12 | |
| MOLY0025 | 2.5 Kilograms | 6 | |
| MOLY020 | 20 Kilograms | 1 | |
| MOLY055 | 55 Kilograms | 1 | |
| MOLY180 | 180 Kilograms | 1 | |



Extreme Pressure Grease

| Product Code | Pack Size | Carton Qty | Colour: Red |
|--------------|---------------|------------|---|
| EPGR00045 | 450 Grams | 12 | <p>Key Specifications: NLGI 2, ISO 6743, KP2K-30, DIN 51502</p> <p>Penrite Extreme Pressure Grease is a lithium grease for general purpose industrial and automotive greasing applications.</p> |
| EPGR0005 | 500 Grams | 12 | |
| EPGR0025 | 2.5 Kilograms | 6 | |
| EPGR020 | 20 Kilograms | 1 | |
| EPGR055 | 55 Kilograms | 1 | |
| EPGR180 | 180 Kilograms | 1 | |



Indus Grease LITH R3

| Product Code | Pack Size | Carton Qty | Colour: Amber |
|--------------|-----------|------------|---|
| IGRLR300045 | 450 Grams | 12 | <p>Key Specifications: NLGI 3, DIN 51502: KP3K-20, ISO 6743: ISO-L-XCCFA3</p> <p>Penrite Indgrease Lith R3 is a high quality NLGI 3 consistency multi-purpose Rust & Oxidation (R&O) type, lithium soap thickened grease. It is designed as a multi-service grease for industrial applications, particularly high speed, low load bearing applications.</p> |



Indus Grease Lithium EPO

| Product Code | Pack Size | Carton Qty | Colour: Light Brown |
|---------------|-----------|------------|--|
| IGRLITHEP0020 | 20 Grams | 1 | <p>Key Specifications: NLGI 0, DIN 51502: KPOK-20, ISO 6743: ISO-L-XCCFBO</p> <p>Penrite Indgrease Lith EPO is an NLGI 0, lithium based, mineral lubricating grease. It is made with a combination of antioxidants, corrosion inhibitors and Extreme Pressure (EP) and Anti Wear (AW) additives.</p> |



Indus Grease LCX 1100

| Product Code | Pack Size | Carton Qty | Colour: Brown |
|-----------------|---------------|------------|--|
| INDGRLCX1100018 | 18 Kilograms | 1 | <p>Key Specifications: NLGI 2, DIN 51502: KP2N-20, ISO 6743: ISO-L-XBDIB2</p> <p>Penrite Indgrease LCX 1100 is a lithium-calcium complex thickened lubricating grease based on a high viscous mineral oil. The grease contains antioxidants, corrosion inhibitors and EP/AW additives based on bismuth technology.</p> |
| INDGRLCX1100180 | 180 Kilograms | 1 | |



Indus Grease 100 LXEP2

| Product Code | Pack Size | Carton Qty | Colour: Brown |
|--------------------|---------------|------------|--|
| INDGR100LXEP200045 | 450 Grams | 12 | <p>Key Specifications: NLGI 2, DIN 51502 KP2N-20, ISO 6743, ISO-L-XCDIB2</p> <p>Penrite Indgrease 100 LXEP2 is a premium, high melting point, lithium complex grease of NLGI 2 consistency. It is a high temperature grease designed to meet the most demanding grease applications especially where a low base oil viscosity and long life is required.</p> |
| INDGR100LXEP2180 | 180 Kilograms | 1 | |



Indus Grease CXOG-05

| Product Code | Pack Size | Carton Qty | Colour: Dark Brown |
|---------------|---------------|------------|---|
| INDGRCXOG5018 | 18 Kilograms | 1 | <p>Key Specifications: NLGI 0.5, DIN 51 502: KPGOG0.5N-30, ISO 6743: ISO-L-XCDIB0.5</p> <p>Penrite Indgrease CXOG-05 is an advanced technology, mixed-complex grease. It is made using a lithium-calcium complex soap with built-in extreme pressure and anti-wear properties. These are further enhanced by the addition of anti-oxidant and corrosion inhibitors.</p> |
| INDGRCXOG5180 | 180 Kilograms | 1 | |



Indus Grease 1615 WR

| Product Code | Pack Size | Carton Qty | Colour: Brown |
|----------------|---------------|------------|--|
| INDGR1615WR018 | 18 Kilograms | 1 | <p>Key Specifications: NLGI 1.5, DIN 51502: KP1.5N-20, ISO 6743: ISO-L-XBDFB1.5</p> <p>Penrite Indgrease 1615 WR is a calcium sulphonate complex thickened, extreme pressure lubricating grease based on mineral oil. The grease contains antioxidants and corrosion inhibitors.</p> |
| INDGR1615WR180 | 180 Kilograms | 1 | |



Indgrease BM3

| Product Code | Pack Size | Carton Qty | Colour: Grey |
|--------------|-----------|------------|---|
| IGRBM300045 | 450 Grams | 12 | <p>Key Specifications: NLGI 3</p> <p>Penrite Indgrease BM3 is a highly specialised no-melt type grease, manufactured from a Bentone clay with highly refined base oils and Molybdenum disulphide.</p> |



Indgrease Moly HT

| Product Code | Pack Size | Carton Qty | Colour: Grey |
|-----------------|---------------|------------|---|
| INDGRSMOLYHT180 | 180 Kilograms | 1 | <p>Key Specifications: NLGI 2</p> <p>Penrite Indgrease Moly HT is a premium heavy duty, high temperature NLGI No. 2 grease designed for the mining industry. It is a smooth grey grease based on a lithium complex thickener.</p> |



ACT Grease XEP2

| Product Code | Pack Size | Carton Qty | Colour: Red/Orange |
|--------------|---------------|------------|---|
| ACTXEP200045 | 450 Grams | 12 | <p>Key Specifications: NLGI 2, ISO 6743, KP2K-30, DIN 51502</p> <p>Penrite ACT Grease XEP2 is a tenacious, highly specialised semi synthetic lithium complex grease designed for use in Agricultural and Construction equipment as well as on highway Trucks.</p> |
| ACTXEP2180 | 180 Kilograms | 1 | |



QCA Grease MX9

| Product Code | Pack Size | Carton Qty | Colour: Grey/Black |
|--------------|---------------|------------|--|
| QCAG00045 | 450 Grams | 12 | Key Specifications: NLGI 2, Caterpillar MPGM Penrite QCA Grease MX9 is an advanced technology, mixed-complex grease, containing 9% solids that provide additional lubrication in high load applications in industries such as Quarries, Construction and Agriculture. |
| QCAG020 | 20 Kilograms | 1 | |
| QCAG180 | 180 Kilograms | 1 | |



QCA Grease MXG O

| Product Code | Pack Size | Carton Qty | Colour: Black |
|--------------|---------------|------------|---|
| QCSMXG0018 | 18 Kilograms | 1 | Key Specifications: NLGI 0, DIN 51 502: GOGON-20, ISO 6743: ISO-L-XBDIB0 Penrite QCS Grease MXG O is an NLGI 0, advanced technology grease made using a lithium-calcium complex soap with "built-in" extreme pressure and anti-wear properties and based on mineral oil. |
| QCSMXG0180 | 180 Kilograms | 1 | |



Rubber Grease

| Product Code | Pack Size | Carton Qty | Colour: Red |
|--------------|--------------|------------|---|
| RUBGR0005 | 500 Grams | 12 | Key Specifications: NLGI 2 Penrite Rubber Grease protects rubber from the risk of perishing with this red, clay-based grease with castor base oil specifically designed for the lubrication of natural or synthetic rubber components. |
| RUBGR020 | 20 Kilograms | 1 | |



Graphite Grease

| Product Code | Pack Size | Carton Qty | Colour: Grey |
|--------------|-----------|------------|---|
| GRGR0005 | 500 Grams | 12 | Key Specifications: NLGI 3 Penrite Graphite Grease is a quality calcium-based grease brake cables, flexible drives, exposed chains and for general chassis lubrication of pre-1960 vehicles. |



Water Pump Grease

| Product Code | Pack Size | Carton Qty | Colour: Amber |
|--------------|-----------|------------|---|
| WPGR00005 | 50 Grams | 12 | Key Specifications: NLGI 4 Penrite Water Pump Grease is a heavy NLGI No. 4 calcium-based moderate-duty grease is just the job to protect water pumps in older vehicles, as well as fire fighting and irrigation equipment. |



Copper Eze

| Product Code | Pack Size | Carton Qty | Colour: Copper |
|--------------|-----------|------------|---|
| CEZE00005 | 50 Grams | 12 | Key Specifications: NLGI 1.5 Penrite Copper Eze is a bentone based anti-seize grease containing micro-size copper, zinc oxide and additional synthetic base oil that will resist temperatures of up to 1093°C. |
| CEZE0005 | 500 Grams | 12 | |



Cam Assembly Lube

| Product Code | Pack Size | Carton Qty | Colour: Grey |
|--------------|-----------|------------|---|
| CAM00004 | 40 Grams | 12 | Penrite Cam Assembly Lube is a special purpose, sticky paste containing a lithium grease, rust inhibitors, oxidation inhibitors, tackiness additives, zinc, anti-wear agents and molybdenum disulphide. Dissolves in oil. |



Bentone HD Grease

| Product Code | Pack Size | Carton Qty | Colour: Brown |
|--------------|-----------|------------|--|
| BENHDGR00045 | 450 Grams | 12 | Key Specifications: NLGI 2 Penrite Bentone HD Grease is an NLGI No. 2, high temperature automotive and industrial grease manufactured from high quality base oils and a bentonite (clay) based thickener. |



Semi Fluid Grease

| Product Code | Pack Size | Carton Qty | Colour: Light Brown |
|--------------|-----------------|------------|---|
| SEMI00045 | 450 Grams | 12 | Penrite Semi Fluid Grease is an extreme pressure, NLGI 00, lithium soap thickened grease, blended using extreme pressure additives, anti-wear, rust and oxidation inhibitors. |
| SEMI0005 | 500 Millilitres | 6 | |
| SEMI020 | 20 Kilograms | 1 | |



Marine Grease

| Product Code | Pack Size | Carton Qty | Colour: Green |
|--------------|-----------|------------|---|
| MARGR00045 | 450 Grams | 12 | Key Specifications: NLGI 2, DIN 51502, ISO 6743 Penrite Marine Grease is an NLGI 2 green coloured, tacky, high temperature all-purpose grease manufactured from high quality mineral base oils and a lithium complex soap. It utilises a special anti-rust additive for enhanced protection in marine environments and tackiness additives to allow it to stay in place. |



| PENRITE PRODUCT | Grams | | | | Millilitres | Kilograms | | | | |
|---------------------------------------|-------|----|-----|-----|-------------|-----------|----|----|----|-----|
| | 40 | 50 | 450 | 500 | 500 | 2.5 | 18 | 20 | 55 | 180 |
| High Temperature Wheel Bearing Grease | - | - | ● | ● | - | ● | - | ● | ● | ● |
| Molygrease EP 3% | - | - | ● | ● | - | ● | - | ● | ● | ● |
| Extreme Pressure Grease | - | - | ● | ● | - | ● | - | ● | ● | ● |
| Indus Grease LITH R3 | - | - | ● | - | - | - | - | - | - | - |
| Indus Grease Lithium EPO | - | - | - | - | - | - | - | ● | - | - |
| Indus Grease LXC 1100 | - | - | - | - | - | - | ● | - | - | ● |
| Indus Grease 100 LXEP2 | - | - | ● | - | - | - | - | - | - | ● |
| Indus Grease CXOG-05 | - | - | - | - | - | - | ● | - | - | ● |
| Indus Grease 1615 WR | - | - | - | - | - | - | ● | - | - | ● |
| Indgrease BM3 | - | - | ● | - | - | - | - | - | - | - |
| Indgrease Moly HT | - | - | - | - | - | - | - | - | - | ● |
| ACT Grease XEP2 | - | - | ● | - | - | - | - | - | - | ● |
| QCA Grease MX9 | - | - | ● | - | - | - | - | ● | - | ● |
| QCS Grease MXG 0 | - | - | - | - | - | - | ● | - | - | ● |
| Rubber Grease | - | - | - | ● | - | - | - | ● | - | - |
| Graphite Grease | - | - | - | ● | - | - | - | - | - | - |
| Water Pump Grease | - | ● | - | - | - | - | - | - | - | - |
| Copper Eze | - | ● | - | ● | - | - | - | - | - | - |
| Cam Assembly Lube | ● | - | - | - | - | - | - | - | - | - |
| Bentone HD Grease | - | - | ● | - | - | - | - | - | - | - |
| Semi Fluid Grease | - | - | ● | - | ● | - | - | ● | - | - |
| Marine Grease | - | - | ● | - | - | - | - | - | - | - |

