



HYDRAULIC/TRANS - HEAVY DUTY

When it comes to light and heavy industry, we are constantly adding to our product range. With a wide choice of quality Penrite lubricants available, you will find all of them have been created with Australian conditions in mind.

PENRITE



Visit our website at www.penriteoil.com

Universal Farm Oil

Product Code	Pack Size	Carton Qty	Viscosity: 15W-40 Base Oil: Premium Mineral Alternative Viscosities: 15W-30, 20W-40
UFO020	20 Litres	1	Key Specifications: API CG-4/SF, ACEA E3, API GL-4, MB 227.1, MAN 271, MF 1135/1139/1141/1143/1144/1145, Ford M2C159-B/C, John Deere JDM J27/JD20 A/C, New Holland 420A Fuel Types: Petrol, Diesel, LPG Penrite Universal Farm Oil is designed for use over a multitude of farm equipment to minimise product inventory and simplify lubricant usage on farm machinery and equipment. Universal Farm Oil is an SAE 15W-40 universal oil manufactured from advanced multi-functional additives and highly refined base oils.
UFO205	205 Litres	1	



Tractor Trans & Hydraulic Oil

Product Code	Pack Size	Carton Qty	Viscosity: 10W-30/75W-80 Base Oil: Premium Mineral Alternative Viscosities: ISO 68
TTH010	10 Litres	1	Key Specifications: Ford M2C134-C/D, API GL-4, Caterpillar TO-2, Case Hytrans Plus, JD 20 A/B/C/D Hygard, Case NH MAT 3505/3525/3526 Penrite Tractor Transmission & Hydraulic Oil is a multipurpose tractor transmission fluid manufactured using highly refined base oils and an advanced additive package.
TTH020	20 Litres	1	
TTH205	205 Litres	1	
TTH1000LTR	1000 Litres	1	



Indus HV 32

Product Code	Pack Size	Carton Qty	Viscosity: ISO 32 Base Oil: Premium Mineral Colour: Green
INDUSHV32005	5 Litres	4	Key Specifications: Denison HF2, US Steel 126/127, Cincinatti Milacron P-68, DIN 51524 Part 3 (HLP/HVLP), Vickers I-286-S3/M-2952-S Penrite Indus HV 32 is a premium quality, high viscosity index, ashless hydraulic oil made from selected hydro-treated base stocks, a highly shear stable viscosity modifier and an advanced anti-wear additive.
INDUSHV32020	20 Litres	1	
INDUSHV32205	205 Litres	1	



Indus HV 46

Product Code	Pack Size	Carton Qty	Viscosity: ISO 46 Base Oil: Premium Mineral Colour: Green
INDUSHV46005	5 Litres	4	Key Specifications: Denison HF-2, US Steel 126/127, Cincinatti Milacron P-70, DIN 51524 Part 3 (HLP/HVLP), Vickers I-286-S3/M-2952-S, SAE MS1004 Type HV, AFNOR NFE 48-603 Penrite Indus HV 46 is a premium quality, high viscosity index, ashless hydraulic oil made from selected hydro-treated base stocks, a highly shear stable viscosity modifier and an advanced anti-wear additive.
INDUSHV46020	20 Litres	1	
INDUSHV46205	205 Litres	1	



Indus HV 68

Product Code	Pack Size	Carton Qty	Viscosity: ISO 68 Base Oil: Premium Mineral Colour: Green
INDUSHV68005	5 Litres	4	Key Specifications: Denison HF2, US Steel 126/127, Cincinatti Milacron P-69, DIN 51524 Part 3 (HLP/HVLP), Vickers I-286-S3/M-2952-S, SAE MS1004 Type HV, AFNOR NFE 48-603 Penrite Indus HV 68 is a premium quality, high viscosity index, ashless hydraulic oil made from selected hydro-treated base stocks, a highly shear stable viscosity modifier and an advanced anti-wear additive.
INDUSHV68020	20 Litres	1	
INDUSHV68205	205 Litres	1	



Indus HV 100

Product Code	Pack Size	Carton Qty	Viscosity: ISO 100 Base Oil: Premium Mineral Colour: Green
INDUSHV100020	20 Litres	1	Key Specifications: Denison HF2, US Steel 126/127, DIN 51524 Part 3 (HLP/HVLP), Vickers I-286-S3/M-2952-S, SAE MS1004 Type HV, AFNOR NFE 48-603 Penrite Indus HV 100 is a premium quality, high viscosity index, ashless hydraulic oil made from selected hydro-treated base stocks, a highly shear stable viscosity modifier and an advanced anti-wear additive.
INDUSHV100205	205 Litres	1	



Indus Pro Hydraulic ISO 10

Product Code	Pack Size	Carton Qty	Viscosity: ISO 10 Base Oil: Premium Mineral
PROHYD10205	205 Litres	1	Key Specifications: Denison HFO/HF1/HF2, US Steel 126/127, Vickers I-286-S/M-2950-S, DIN 51524 Part 2 (HLP Type) Penrite Indus Pro Hydraulic ISO 10 oil is a low zinc, premium quality oil made from selected base stocks and advanced anti-wear additives.



Indus Pro Hydraulic ISO 32

Product Code	Pack Size	Carton Qty	Viscosity: ISO 32 Base Oil: Premium Mineral
PROHYD32005	5 Litres	4	Key Specifications: Denison HFO/HF1/HF2, US Steel 126/127, Vickers I-286-S/M-2950-S, DIN 51524 Part 2 (HLP Type), Cincinatti Milacron P-68 Penrite Indus Pro Hydraulic ISO 32 oil is a low zinc, premium quality oil made from selected base stocks and advanced anti-wear additives.
PROHYD32020	20 Litres	1	
PROHYD32205	205 Litres	1	



Indus Pro Hydraulic ISO 46

Product Code	Pack Size	Carton Qty	Viscosity: ISO 46 Base Oil: Premium Mineral
PROHYD46005	5 Litres	4	Key Specifications: Denison HFO/HF1/HF2, US Steel 126/127, Vickers I-286-S/M-2950-S, DIN 51524 Part 2 (HLP Type), Cincinatti Milacron P-70 Penrite Indus Pro Hydraulic ISO 46 oil is a low zinc, premium quality oil made from selected base stocks and advanced anti-wear additives.
PROHYD46010	10 Litres	1	
PROHYD46020	20 Litres	1	
PROHYD46205	205 Litres	1	
PROHYD461000LTR	1000 Litres	1	



Indus Pro Hydraulic ISO 68

Product Code	Pack Size	Carton Qty	Viscosity: ISO 68 Base Oil: Premium Mineral
HYD68001	1 Litre	6	Key Specifications: Denison HFO/HF1/HF2, US Steel 126/127, Vickers I-286-S/M-2950-S, DIN 51524 Part 2 (HLP Type), Cincinatti Milacron P-69 Penrite Indus Pro Hydraulic ISO 68 oil is a low zinc, premium quality oil made from selected base stocks and advanced anti-wear additives.
PROHYD68005	5 Litres	4	
PROHYD68010	10 Litres	1	
PROHYD68020	20 Litres	1	
PROHYD68205	205 Litres	1	
PROHYD681000LTR	1000 Litres	1	



Fleet-Gear 10

Product Code	Pack Size	Carton Qty	Base Oil: Premium Mineral
FG10020	20 Litres	1	Key Specifications: API CF, API GL-3, Caterpillar TO-4, Komatsu, Allison C4, Vickers M-2950-S, ZF TE-ML03 Penrite Fleet Gear 10 is a multipurpose transmission, hydraulic and final drive oil manufactured from highly refined mineral oils and selected additives to provide excellent performance in a wide range of heavy duty equipment in both on and off highway service.
FG10205	205 Litres	1	
FG101000LTR	1000 Litres	1	



Fleet-Gear 30

Product Code	Pack Size	Carton Qty	Base Oil: Premium Mineral
FG30020	20 Litres	1	Key Specifications: API CF, API GL-3, Caterpillar TO-4, Komatsu, Allison C4, ZF TE-ML01, ZF TE-ML03 Penrite Fleet Gear 30 is a multipurpose transmission, hydraulic and final drive oil manufactured from highly refined mineral oils and selected additives to provide excellent performance in a wide range of heavy duty equipment in both on and off highway service.
FG30205	205 Litres	1	
FG301000LTR	1000 Litres	1	



Fleet-Gear 50

Product Code	Pack Size	Carton Qty	Base Oil: Premium Mineral
FG50020	20 Litres	1	Key Specifications: API CF, API GL-3, Caterpillar TO-4, Komatsu, Rockwell O-81, Volvo 97305-90/1273.13, ZF TE-ML01 Penrite Fleet Gear 50 is a multipurpose transmission, hydraulic and final drive oil manufactured from highly refined mineral oils and selected additives to provide excellent performance in a wide range of heavy duty equipment in both on and off highway service.
FG50060	60 Litres	1	
FG50205	205 Litres	1	
FG501000LTR	1000 Litres	1	



Synfleet 50

Product Code	Pack Size	Carton Qty	Base Oil: Full Synthetic
SYNF50020	20 Litres	1	Key Specifications: API CD/MT-1, ZF Freedomline / Eurotronic 2, Meritor / Rockwell O-81 (Synthetic), Eaton PS-081, Navistar TMS 6816 OEM Approvals: Eaton PS-164, Rev 7, Mack TO-A Plus Penrite Synfleet 50 is a premium full synthetic, heavy duty transmission oil for warranty service. It is manufactured using an advanced additive system and a combination of synthetic base fluids to provide extended drain life and improve equipment life.
SYNF50205	205 Litres	1	



FDOI Fluid

Product Code	Pack Size	Carton Qty	Base Oil: Premium Mineral
FD01020	20 Litres	1	Key Specifications: Caterpillar FD-1 Penrite FDOI Fluid is a heavy duty, SAE 60 final drive oil specially designed for Caterpillar final drives and axles.
FD01205	205 Litres	1	
FD011000LTR	1000 Litres	1	



MB15

Product Code	Pack Size	Carton Qty	Base Oil: Premium Mineral	Colour: Clear
MB15001	1 Litre	6	Key Specifications: MB 343.0, ISO 15 Penrite MB15 is a light, high viscosity index, zinc free premium mineral oil designed for suspension components and hydraulic self-levelling suspension units that specify MB 343.0 for Mercedes-Benz vehicles.	



Gear Oil 80W-90

Product Code	Pack Size	Carton Qty	Viscosity: 80W-90	Base Oil: Premium Mineral	Colour: Blue	Alternative Viscosities: 85W-90, SAE 90
G08090001	1 Litre	6	Key Specifications: API GL-5/GL-6/MT-1/PG-2, Ford ESW-M2C1006-B/1013-A/104-A/105-A/197-A, MIL-L-PRF-2105E, MIL-L-2105D, GM HN 1181/1187/1386/1561 Application: Hypoid & Limited Slip Differentials, Manual Gearboxes, Transfer Cases, Transaxles Penrite Gear Oil 80W-90 is a premium mineral automotive gear oil manufactured with modern extreme pressure additives and friction modifiers.			
G080900025	2.5 Litres	4				
G08090020	20 Litres	1				
G08090060	60 Litres	1				
G08090205	205 Litres	1				



Gear Oil 85W-140

Product Code	Pack Size	Carton Qty	Viscosity: 85W-140	Base Oil: Premium Mineral	Colour: Blue
G085140001	1 Litre	6	Key Specifications: API GL-5/GL-6/MT-1/PG-2, Ford ESW-M2C1006-B/1013-A/104-A/105-A/197-A, MIL-L-PRF-2105E, MIL-L-2105D, GM HN 1181/1187/1386/1561 Application: Hypoid & Limited Slip Differentials Penrite Gear Oil 85W-140 is a premium, heavy duty, mineral automotive gear oil manufactured with modern extreme pressure additives and friction modifiers.		
G0851400025	2.5 Litres	4			
G085140020	20 Litres	1			
G085140060	60 Litres	1			
G085140205	205 Litres	1			



Gear Oil 140

Product Code	Pack Size	Carton Qty	Viscosity: SAE 140	Base Oil: Premium Mineral	Colour: Blue
G0140001	1 Litre	6	Key Specifications: API GL-5/GL-6/MT-1/PG-2, MIL-L-2105D, SAE J2360A, MIL-L-PRF-2105E Application: Hypoid & Limited Slip Differentials Penrite Gear Oil 140 is a premium, heavy duty, mineral automotive gear oil manufactured with modern extreme pressure additives and friction modifiers.		
G01400025	2.5 Litres	4			
G0140020	20 Litres	1			
G0140060	60 Litres	1			
G0140205	205 Litres	1			



Trans Gear 75W-90

Product Code	Pack Size	Carton Qty	Viscosity: 75W-90	Base Oil: Semi Synthetic	Alternative Viscosities: 80W-90
TG7590001	1 Litre	6	Key Specifications: API GL-5/MT-1, BTR 5M-31, MIL-L-2105D, ZF TE ML-01/02/05/07/08, MB 235.5/235.6, Volvo 1273.10 Application: Manual Gearboxes, Transfer Cases, Transaxles Penrite Trans Gear 75W-90 is an SAE 75W-90, premium performance semi synthetic transaxle oil. It is manufactured from a blend of highly refined base oils, the latest technology additives, friction enhancers and an advanced viscosity modifier.		
TG75900025	2.5 Litres	4			
TG7590020	20 Litres	1			
TG7590060	60 Litres	1			
TG7590205	205 Litres	1			



Pro Gear 80W-140

Product Code	Pack Size	Carton Qty
PROG80140001	1 Litre	6
PROG801400025	2.5 Litres	4
PROG80140020	20 Litres	1
PROG80140060	60 Litres	1
PROG80140205	205 Litres	1

Viscosity: 80W-140 **Base Oil:** Full Synthetic
Alternative Viscosities: 75W-140, 85W-140, SAE 140

Key Specifications: API GL-5/GL-6/MT-1, MIL-L-PRF-2105E, Ford M2C190-A
Application: Hypoid & Limited Slip Differentials

Penrite Pro Gear 80W-140 is a premium full synthetic, SAE 80W-140, heavy duty gear oil that uses a special combination of synthetic base oils which include PAO and Ester, with an advanced additive system to provide ultimate performance and protection under all operating conditions.



Honing Oil

Product Code	Pack Size	Carton Qty
HON020	20 Litres	1
HON205	205 Litres	1

Base Oil: Premium Mineral

Penrite Honing Oil is used in honing machines. Provides long stone life and superior finish to work. It can be used for machining and honing of cast iron, free machining of steel and thread cutting and deep hole drilling of ferrous materials. It is made from advanced hydrocracked base stocks.



Soluble Oil

Product Code	Pack Size	Carton Qty
SOL005	5 Litres	1
SOL020	20 Litres	1

Base Oil: Premium Mineral **Colour:** Brown

Penrite Soluble Oil is general-purpose soluble cutting oil made by using advanced emulsifiers, a bactericide and hydro-cracked base oils for many turning, milling, drilling and grinding operations.



Hydraulic Jack Oil

Product Code	Pack Size	Carton Qty
HJO0005	500 Millilitres	1

Viscosity: ISO 46 **Base Oil:** Premium Mineral

Key Specifications: Vickers I-286-S/M-2950-S

Penrite Hydraulic Jack Oil is premium ISO 46 oil suitable for all hydraulic jacks, presses, hoists, rams and hydraulic power packs requiring a mineral oil.



PENRITE PRODUCT	Millilitres	Litres							
	500	1	2.5	5	10	20	60	205	1000
Universal Farm Oil	-	-	-	-	-	●	-	●	-
Tractor Trans & Hydraulic Oil	-	-	-	-	●	●	-	●	●
Indus HV 32	-	-	-	●	-	●	-	●	-
Indus HV 46	-	-	-	●	-	●	-	●	-
Indus HV 68	-	-	-	●	-	●	-	●	-
Indus HV 100	-	-	-	-	-	●	-	●	-
Indus Pro Hydraulic ISO 10	-	-	-	-	-	-	-	●	-
Indus Pro Hydraulic ISO 32	-	-	-	●	-	●	-	●	-
Indus Pro Hydraulic ISO 46	-	-	-	●	●	●	-	●	●
Indus Pro Hydraulic ISO 68	-	●	-	●	●	●	-	●	●
Fleet-Gear 10	-	-	-	-	-	●	-	●	●
Fleet-Gear 30	-	-	-	-	-	●	-	●	●
Fleet-Gear 50	-	-	-	-	-	●	●	●	●
Synfleet 50	-	-	-	-	-	●	-	●	-
FD01 Fluid	-	-	-	-	-	●	-	●	●
MB15	-	●	-	-	-	-	-	-	-
Gear Oil 80W-90	-	●	●	-	-	●	●	●	-
Gear Oil 85W-140	-	●	●	-	-	●	●	●	-
Gear Oil 140	-	●	●	-	-	●	●	●	-
Trans Gear 75W-90	-	●	●	-	-	●	●	●	-
Pro Gear 80-140	-	●	●	-	-	●	●	●	-
Honing Oil	-	-	-	-	-	●	-	●	-
Soluble Oil	-	-	-	●	-	●	-	-	-
Hydraulic Jack Oil	●	-	-	-	-	-	-	-	-





A Better Class of Oil

The Penrite Difference

- Family owned and operated, Australian made since 1926
- Australia's number 1 independent oil company
- Premium brand using only quality "virgin" base oils and additives
- High level customer satisfaction and voted number 1 preferred supplier
- The product offer covers a wide range of applications including modern and classic automotive, motorcycles, marine, agriculture, horticulture, mining, heavy duty, commercial and industrial
- Highly trained technical training and customer service representation
- Complete technical backup support 7 days a week
- Ability to make "problem solving" products for specific applications
- **EXTRA TEN, FULL ZINC** SAE viscosity products including **SHEAR FREE**
- First to market with the latest industry technology and manufacturer approvals
- 100% quality satisfaction guarantee

