



INDUSTRIAL

Penrite knows what it takes to be competitive and successful in Australia. Since 1926, we have listened and worked closely with generations of Australian businesses/construction companies to understand, not only your product requirements, but also your business needs.

We understand it's not just about quality products that meet the latest requirements of global manufacturers. We recognise the importance of inventory management, reducing maintenance requirements and downtime, increasing profitability and the service life of equipment. From these learnings, we continue to tailor the highest quality lubricants and fluids for your vehicles, equipment and machinery. Our locally produced performance products cover all your needs for your entire commercial, mining and construction fleet, whether aged or modern.

Penrite is not only made in Australia, but tried and tested for the harshest and toughest conditions.



Visit our website at www.penriteoil.com

Indus HV 32

Product Code	Pack Size	Carton Qty
INDUSHV32005	5 Litres	4
INDUSHV32020	20 Litres	1
INDUSHV32205	205 Litres	1

Viscosity: ISO 32 **Base Oil:** Premium Mineral
Colour: Green

Key Specifications: Dension HF2, US Steel 126/127, Cincinatti Milacron P-68, DIN 51524 Part 3 (HLP/HVLP), Vickers I-286-S3/M-2952-S

Penrite Indus HV 32 is a premium quality, high viscosity index, ashless hydraulic oil made from selected hydro-treated base stocks, a highly shear stable viscosity modifier and an advanced anti-wear additive.



Indus HV 46

Product Code	Pack Size	Carton Qty
INDUSHV46005	5 Litres	4
INDUSHV46020	20 Litres	1
INDUSHV46205	205 Litres	1

Viscosity: ISO 46 **Base Oil:** Premium Mineral
Colour: Green

Key Specifications: Dension HF-2, US Steel 126/127, Cincinatti Milacron P-70, DIN 51524 Part 3 (HLP/HVLP), Vickers I-286-S3/M-2952-S, SAE MS1004 Type HV, AFNOR NFE 48-603

Penrite Indus HV 46 is a premium quality, high viscosity index, ashless hydraulic oil made from selected hydro-treated base stocks, a highly shear stable viscosity modifier and an advanced anti-wear additive.



Indus HV 68

Product Code	Pack Size	Carton Qty
INDUSHV68005	5 Litres	4
INDUSHV68020	20 Litres	1
INDUSHV68205	205 Litres	1

Viscosity: ISO 68 **Base Oil:** Premium Mineral
Colour: Green

Key Specifications: Dension HF2, US Steel 126/127, Cincinatti Milacron P-69, DIN 51524 Part 3 (HLP/HVLP), Vickers I-286-S3/M-2952-S, SAE MS1004 Type HV, AFNOR NFE 48-603

Penrite Indus HV 68 is a premium quality, high viscosity index, ashless hydraulic oil made from selected hydro-treated base stocks, a highly shear stable viscosity modifier and an advanced anti-wear additive.



Indus HV 100

Product Code	Pack Size	Carton Qty
INDUSHV100020	20 Litres	1
INDUSHV100205	205 Litres	1

Viscosity: ISO 100 **Base Oil:** Premium Mineral
Colour: Green

Key Specifications: Dension HF2, US Steel 126/127, DIN 51524 Part 3 (HLP/HVLP), Vickers I-286-S3/M-2952-S, SAE MS10004 Type HV, AFNOR NFE 48-603

Penrite Indus HV 100 is a premium quality, high viscosity index, ashless hydraulic oil made from selected hydro-treated base stocks, a highly shear stable viscosity modifier and an advanced anti-wear additive.



Indus Pro Hydraulic ISO 10

Product Code	Pack Size	Carton Qty
PROHYD10205	205 Litres	1

Viscosity: ISO 10 **Base Oil:** Premium Mineral

Key Specifications: Denison HFO/HF1/HF2, US Steel 126/127, Vickers I-286-S/M-2950-S, DIN 51524 Part 2 (HLP Type)

Penrite Indus Pro Hydraulic ISO 10 oil is a low zinc, premium quality oil made from selected base stocks and advanced anti-wear additives.



Indus Pro Hydraulic ISO 32

Product Code	Pack Size	Carton Qty
PROHYD32005	5 Litres	4
PROHYD32020	20 Litres	1
PROHYD32205	205 Litres	1

Viscosity: ISO 32 **Base Oil:** Premium Mineral

Key Specifications: Denison HFO/HF1/HF2, US Steel 126/127, Vickers I-286-S/M-2950-S, DIN 51524 Part 2 (HLP Type), Cincinatti Milacron P-68

Penrite Indus Pro Hydraulic ISO 32 oil is a low zinc, premium quality oil made from selected base stocks and advanced anti-wear additives.



Indus Pro Hydraulic ISO 46

Product Code	Pack Size	Carton Qty
PROHYD46005	5 Litres	4
PROHYD46010	10 Litres	1
PROHYD46020	20 Litres	1
PROHYD46205	205 Litres	1
PROHYD461000LTR	1000 Litres	1

Viscosity: ISO 46 **Base Oil:** Premium Mineral

Key Specifications: Denison HFO/HF1/HF2, US Steel 126/127, Vickers I-286-S/M-2950-S, DIN 51524 Part 2 (HLP Type), Cincinatti Milacron P-70

Penrite Indus Pro Hydraulic ISO 46 oil is a low zinc, premium quality oil made from selected base stocks and advanced anti-wear additives.



Indus Pro Hydraulic ISO 68

Product Code	Pack Size	Carton Qty
HYD68001	1 Litre	6
PROHYD68005	5 Litres	4
PROHYD68010	10 Litres	1
PROHYD68020	20 Litres	1
PROHYD68205	205 Litres	1
PROHYD681000LTR	1000 Litres	1

Viscosity: ISO 68 **Base Oil:** Premium Mineral

Key Specifications: Denison HFO/HF1/HF2, US Steel 126/127, Vickers I-286-S/M-2950-S, DIN 51524 Part 2 (HLP Type), Cincinatti Milacron P-69

Penrite Indus Pro Hydraulic ISO 68 oil is a low zinc, premium quality oil made from selected base stocks and advanced anti-wear additives.



Indus MR 68

Product Code	Pack Size	Carton Qty
INDMR68020	20 Litres	1
INDMR68205	205 Litres	1
INDMR681000	1000 Litres	1

Viscosity: ISO 68 **Base Oil:** Premium Mineral
Colour: Orange

Key Specifications: Vickers I-286-S3/M-2952-S, DIN 51524 Part 2, US Steel 126/127, Haggblunds AC-4.8, AAMA 524 Part 2, Denison HF-2/HF-O, Bosch Rexroth RE90 220, ISO 6743 Part 4, German Steel SEB 181 222, Cincinatti Milacron P-69

Penrite Indus MR 68 is a high quality, zinc free hydraulic oil made from selected base stocks, shear stable viscosity modifier and an anti-wear additive. It is dyed orange for easy identification.



Indus Gear EP 68

Product Code	Pack Size	Carton Qty
G068020	20 Litres	1

Viscosity: ISO 68 **Base Oil:** Premium Mineral

Key Specifications: API GL-3, AGMA 250.04/2005-D94, ISO 68, Cincinatti Milacron, US Steel 224

Penrite Indus Gear EP 68 is a premium industrial gear oil made from highly refined mineral oil and an advanced extreme pressure additive system. Suitable for use in industrial applications requiring a low level of EP.



Indus Gear EP 150

Product Code	Pack Size	Carton Qty	Viscosity: ISO 150 Base Oil: Premium Mineral
GO150020	20 Litres	1	Key Specifications: API GL-3, ISO 150, AGMA 250.04/2005-D94, Cincinnati Milacron, US Steel 224
GO150205	205 Litres	1	

Penrite Indus Gear EP 150 is a premium industrial gear oil made from highly refined mineral oil and an advanced extreme pressure additive system. Suitable for use in industrial applications requiring a low level of EP.



Indus Gear EP 220

Product Code	Pack Size	Carton Qty	Viscosity: ISO 220 Base Oil: Premium Mineral
GO220020	20 Litres	1	Key Specifications: API GL-3, ISO 220, AGMA 250.04/2005-D94, Cincinnati Milacron, US Steel 224
GO220205	205 Litres	1	

Penrite Indus Gear EP 220 is a premium industrial gear oil made from highly refined mineral oil and an advanced extreme pressure additive system. Suitable for use in industrial applications requiring a low level of EP.



Indus Gear EP 320

Product Code	Pack Size	Carton Qty	Viscosity: ISO 320 Base Oil: Premium Mineral
GO320020	20 Litres	1	Key Specifications: API GL-3, ISO 320, AGMA 250.04/2005-D94, Cincinnati Milacron, US Steel 224
GO320205	205 Litres	1	

Penrite Indus Gear EP 320 is a premium industrial gear oil made from highly refined mineral oil and an advanced extreme pressure additive system. Suitable for use in industrial applications requiring a low level of EP.



Indus Gear EP 460

Product Code	Pack Size	Carton Qty	Viscosity: ISO 460 Base Oil: Premium Mineral
GO460020	20 Litres	1	Key Specifications: API GL-3, ISO 460, AGMA 250.04/2005-D94, Cincinnati Milacron, US Steel 224
GO460205	205 Litres	1	

Penrite Indus Gear EP 460 is a premium industrial gear oil made from highly refined mineral oil and an advanced extreme pressure additive system. Suitable for use in industrial applications requiring a low level of EP.



Indus Gear EP 680

Product Code	Pack Size	Carton Qty	Viscosity: ISO 680 Base Oil: Premium Mineral
GO680020	20 Litres	1	Key Specifications: API GL-3, ISO 680, AGMA 250.04/2005-D94, Cincinnati Milacron, US Steel 224
GO680205	205 Litres	1	

Penrite Indus Gear EP 680 is a premium industrial gear oil made from highly refined mineral oil and an advanced extreme pressure additive system. Suitable for use in industrial applications requiring a low level of EP.



Indus Gear EJ220

Product Code	Pack Size	Carton Qty	Viscosity: ISO 220 Base Oil: Premium Mineral
IGEJ220205	205 Litres	1	Key Specifications: API GL-3, Joy TO-HD

Penrite Indus EJ220 is a premium mineral, extreme pressure industrial gear oils designed to mix with water where gearbox water contamination is an issue. This oil contains additives to protect against wear and corrosion under harsh or wet conditions.



Indus Gear EJ460

Product Code	Pack Size	Carton Qty	Viscosity: ISO 460 Base Oil: Premium Mineral
IGEJ460205	205 Litres	1	Key Specifications: API GL-3, Joy TO-HD

Penrite Indus EJ460 is a premium mineral, extreme pressure industrial gear oils designed to mix with water where gearbox water contamination is an issue. This oil contains additives to protect against wear and corrosion under harsh or wet conditions.



Indus Gear SYN 220

Product Code	Pack Size	Carton Qty	Viscosity: ISO 220 Base Oil: Full Synthetic
GOSYN220020	20 Litres	1	Key Specifications: API GL-3, AGMA 250.04, AGMA 2005-D94, Cincinnati Milacron, US Steel 224

Penrite Indus SYN 220 is a premium full synthetic extreme pressure industrial gear oil, manufactured using carefully selected extreme pressure and anti-wear additives.



Indus Indgear B220

Product Code	Pack Size	Carton Qty	Viscosity: ISO 220 Base Oil: Premium Mineral
IGB220205	205 Litres	1	Key Specifications: API GL-5, AIST (US Steel) 224, AGMA 9005 E02-EP

Penrite Indus Indgear B220 oil is the ultimate premium performance borated mineral gear oil with synthetic-like heat resistance, formulated with a special, highly effective extreme pressure additive system. It provides outstanding protection against heat and reduces friction.



Indus Indgear B320

Product Code	Pack Size	Carton Qty	Viscosity: ISO 320 Base Oil: Premium Mineral
IGB320205	205 Litres	1	Key Specifications: API GL-5, AIST (US Steel) 224, AGMA 9005 E02-EP

Penrite Indus Indgear B320 oil is the ultimate premium performance borated mineral gear oil with synthetic-like heat resistance, formulated with a special, highly effective extreme pressure additive system. It provides outstanding protection against heat and reduces friction.



Indus Indgear B460

Product Code	Pack Size	Carton Qty	Viscosity: ISO 460 Base Oil: Premium Mineral
IGB460205	205 Litres	1	Key Specifications: API GL-5, AIST (US Steel) 224, AGMA 9005 E02-EP Penrite Indus Indgear B460 oil is the ultimate premium performance borated mineral gear oil with synthetic-like heat resistance, formulated with a special, highly effective extreme pressure additive system. It provides outstanding protection against heat and reduces friction.



Indus Indgear MP90

Product Code	Pack Size	Carton Qty	Viscosity: SAE 90 Base Oil: Premium Mineral
INDMP90020	20 Litres	1	Key Specifications: API GL-4 Plus, AIST (US Steel) 224, AGMA 9005 E02-EP, DIN 51517-3 (CLP) Penrite Indgear MP90 is an SAE 90 mineral oil designed for use in a wide range of heavily loaded applications comprising varied gear sets, such as spur, helical and worm gears, as found in many types of industrial equipment.
INDMP90205	205 Litres	1	



Indus Compressor Oil 2KH ISO 32

Product Code	Pack Size	Carton Qty	Viscosity: ISO 32 Base Oil: Premium Mineral
CO2KH32020	20 Litres	1	Key Specifications: DIN 51506 VDL, DIN 51524 Part 1, Hagglunds Denison HF-1, Cincinnati Milacron Penrite Indus Compressor Oil 2KH ISO 32 is a mineral based air compressor oil made from pure hydrocracked base oils and an effective ashless additive system. Designed for use in many rotary screw, reciprocating and rotary vane compressors needing an ISO 32 oil of this type, providing up to 2000 hour oil drain periods.



Indus Compressor Oil 2KH ISO 68

Product Code	Pack Size	Carton Qty	Viscosity: ISO 68 Base Oil: Premium Mineral
CO2KH68020	20 Litres	1	Key Specifications: DIN 51506 VDL, DIN 51524 Part 1, Hagglunds Denison HF-1, Cincinnati Milacron Penrite Indus Compressor Oil 2KH ISO 68 is a mineral based air compressor oil made from pure hydrocracked base oils and an effective ashless additive system. Designed for use in many rotary screw, reciprocating and rotary vane compressors needing an ISO 68 oil of this type, providing up to 2000 hour oil drain periods.
CO2KH68205	205 Litres	1	



Indus Compressor Oil 2KH ISO 100

Product Code	Pack Size	Carton Qty	Viscosity: ISO 100 Base Oil: Premium Mineral
CO2KH100020	20 Litres	1	Key Specifications: DIN 51506 VDL, DIN 51524 Part 1, Hagglunds Denison HF-1, Cincinnati Milacron Penrite Indus Compressor Oil 2KH ISO 100 is a mineral based air compressor oil made from pure hydrocracked base oils and an effective ashless additive system. Designed for use in many rotary screw, reciprocating and rotary vane compressors needing an ISO 100 oil of this type, providing up to 2000 hour oil drain periods.



Indus Compressor Oil 4KH ISO 46

Product Code	Pack Size	Carton Qty	Viscosity: ISO 46 Base Oil: Full Synthetic
CO4KH46020	20 Litres	1	Key Specifications: SAE M 1003-2 Penrite Indus Compressor Oil 4KH ISO 46 is a full synthetic, special ashless synthetic based oil, designed to provide extended oil drains in both oil injected and oil flooded rotary screw compressors. Using the latest advances in compressor additive technology, it provides exceptional wear protection and reduced varnish build up. Provides up to 4000 hour oil drain periods.
CO4KH46205	205 Litres	1	



Indus Compressor Oil 4KH ISO 68

Product Code	Pack Size	Carton Qty	Viscosity: ISO 68 Base Oil: Full Synthetic
CO4KH68005	5 Litres	4	Key Specifications: SAE M 1003-2 Penrite Indus Compressor Oil 4KH ISO 68 is a full synthetic, special ashless synthetic based oil, designed to provide extended oil drains in both oil injected and oil flooded rotary screw compressors. Using the latest advances in compressor additive technology, it provides exceptional wear protection and reduced varnish build up. Provides up to 4000 hour oil drain periods.



Indus TM 46 Turbine Oil

Product Code	Pack Size	Carton Qty	Viscosity: ISO 46 Base Oil: Premium Mineral
INDUSTM46020	20 Litres	1	Key Specifications: ISO 6743-5 L TSA/TSE/TGA/TGB/TGE, DIN 51515 Part 1 (L-TD), ASTM D 4304 (Tipo I), Solar Class, Alsthom NBA-P-50001-A, General Electric GEK 28143A/32568F, Siemens TLV 901304 Penrite Indus TM 46 is an ISO 46 mineral turbine oil formulated with highly-refined hydro treated paraffinic base stocks and selected additives that provide it with excellent properties for steam, gas and water turbines.



NGEO HD Natural Gas Engine Oil

Product Code	Pack Size	Carton Qty	Viscosity: SAE 40 Base Oil: Premium Mineral
NGEHD205	205 Litres	1	Key Specifications: API CD; EMA Mid Ash Penrite NGEO HD is a monograde SAE 40, medium ash gas engine oil, made from highly refined base oils and an additive system that provides additional alkaline protection for gas engines utilising high sulphur gas (sour gas or biogas). It is suitable for both normally aspirated and turbocharged engines and is compatible with exhaust catalysts.



Honing Oil

Product Code	Pack Size	Carton Qty	Base Oil: Premium Mineral
HON020	20 Litres	1	Key Specifications: Penrite Honing Oil is used in honing machines. Provides long stone life and superior finish to work. It can be used for machining and honing of cast iron, free machining of steel and thread cutting and deep hole drilling of ferrous materials. It is made from advanced hydrocracked base stocks.
HON205	205 Litres	1	



Soluble Oil

Product Code	Pack Size	Carton Qty	Base Oil: Premium Mineral	Colour: Brown
SOL005	5 Litres	1	<p>Penrite Soluble Oil is general-purpose soluble cutting oil made by using advanced emulsifiers, a bactericide and hydro-cracked base oils for many turning, milling, drilling and grinding operations.</p>	
SOL020	20 Litres	1		



Hydraulic Jack Oil

Product Code	Pack Size	Carton Qty	Viscosity: ISO 46	Base Oil: Premium Mineral
HJ00005	500 Millilitres	1	<p>Key Specifications: Vickers I-286-S/M-2950-S</p> <p>Penrite Hydraulic Jack Oil is premium ISO 46 oil suitable for all hydraulic jacks, presses, hoists, rams and hydraulic power packs requiring a mineral oil.</p>	



Rockslide ISO 68

Product Code	Pack Size	Carton Qty	Viscosity: ISO 68	Base Oil: Premium Mineral
RS68020	20 Litres	1	<p>Key Specifications: API GL-3, Muller Weingarten, US Steel 224, AGMA 250.04, Cincinatti Milacron P-47, DIN 51502 CGLP68</p> <p>Penrite Rockslide ISO 68 oil is made from highly refined base oils and a careful selection of additives (including friction modifiers and anti misting agents) to provide excellent lubrication performance in industrial air tools (Rock drill) and on slideways.</p>	



Rockslide ISO 320

Product Code	Pack Size	Carton Qty	Viscosity: ISO 320	Base Oil: Premium Mineral
RS320020	20 Litres	1	<p>Key Specifications: API GL-3, Muller Weingarten, US Steel 224, AGMA 250.04, Cincinatti Milacron P-50, DIN 51502 CGLP320</p> <p>Penrite Rockslide ISO 320 oil is made from highly refined base oils and a careful selection of additives (including friction modifiers and anti misting agents) to provide excellent lubrication performance in industrial air tools (rock drill) and on slideways.</p>	
RS320205	205 Litres	1		



PENRITE PRODUCT	Millilitres	Litres					
	500	1	5	10	20	205	1000
Indus HV 32	-	-	●	-	●	●	-
Indus HV 46	-	-	●	-	●	●	-
Indus HV 68	-	-	●	-	●	●	-
Indus HV 100	-	-	-	-	●	●	-
Indus Pro Hydraulic ISO 10	-	-	-	-	-	●	-
Indus Pro Hydraulic ISO 32	-	-	●	-	●	●	-
Indus Pro Hydraulic ISO 46	-	-	●	●	●	●	●
Indus Pro Hydraulic ISO 68	-	●	●	●	●	●	●
Indus MR 68	-	-	-	-	●	●	●
Indus Gear EP 68	-	-	-	-	●	-	-
Indus Gear EP 150	-	-	-	-	●	●	-
Indus Gear EP 220	-	-	-	-	●	●	-
Indus Gear EP 320	-	-	-	-	●	●	-
Indus Gear EP 460	-	-	-	-	●	●	-
Indus Gear EP 680	-	-	-	-	●	●	-
Indus Gear EJ220	-	-	-	-	-	●	-
Indus Gear EJ460	-	-	-	-	-	●	-
Indus Gear SYN 220	-	-	-	-	●	-	-
Indus Indgear B220	-	-	-	-	-	●	-
Indus Indgear B320	-	-	-	-	-	●	-
Indus Indgear B460	-	-	-	-	-	●	-
Indus Indgear MP90	-	-	-	-	●	●	-
Indus Compressor Oil 2KH ISO 32	-	-	-	-	●	-	-
Indus Compressor Oil 2KH ISO 68	-	-	-	-	●	●	-
Indus Compressor Oil 2KH ISO 100	-	-	-	-	●	-	-
Indus Compressor Oil 4KH ISO 46	-	-	-	-	●	●	-
Indus Compressor Oil 4KH ISO 68	-	-	●	-	-	-	-
Indus TM 46 Turbine Oil	-	-	-	-	●	-	-
NGEO HD Natural Gas Engine Oil	-	-	-	-	-	●	-
Honing Oil	-	-	-	-	●	●	-
Soluble Oil	-	-	●	-	●	-	-
Hydraulic Jack Oil	●	-	-	-	-	-	-
Rockslide ISO 68	-	-	-	-	●	-	-
Rockslide ISO 320	-	-	-	-	●	●	-





A Better Class of Oil

The Penrite Difference

- Family owned and operated, Australian made since 1926
- Australia's number 1 independent oil company
- Premium brand using only quality "virgin" base oils and additives
- High level customer satisfaction and voted number 1 preferred supplier
- The product offer covers a wide range of applications including modern and classic automotive, motorcycles, marine, agriculture, horticulture, mining, heavy duty, commercial and industrial
- Highly trained technical training and customer service representation
- Complete technical backup support 7 days a week
- Ability to make "problem solving" products for specific applications
- **EXTRA TEN, FULL ZINC** SAE viscosity products including **SHEAR FREE**
- First to market with the latest industry technology and manufacturer approvals
- 100% quality satisfaction guarantee



Visit our website at www.penriteoil.com