



## MOTORCYCLE

Lavish your motorcycle with expert care with Penrite's quality range of motorcycle engine oils. While our small engine oils are ideal for most modern bikes, our speciality range covers large capacity, early model American and European bikes.

Penrite's range of modern motorcycle oils are the highest quality, offering ultimate engine protection. Our range carries the largest industry specifications and offers Extra Ten along with Full Zinc for anti wear protection.



Visit our website at [www.penriteoil.com](http://www.penriteoil.com)



## MC-2ST (Full Synthetic)

Product Code	Pack Size	Carton Qty	Base Oil: Full Synthetic Colour: Red	Stroke: 2
MC2FULLSYN001CP	1 Litre CP	6	<b>Key Specifications:</b> API-TC, JASO FD, ISO EG-D, Piaggio Hexagon (performance), Aprilia DiTechSR50 (performance)  Penrite MC-2ST Full Synthetic is a premium fully synthetic, ester based two-stroke engine oil for maximum power and protection in all two stroke engines. It uses a new powerful, practically ashless clean burning high performance additive package for maximum lubricity and low piston deposits.	
MC2FULLSYN0025	2.5 Litres	4		
MC2FULLSYN020	20 Litres	1		



## MC-2ST (Semi Synthetic)

Product Code	Pack Size	Carton Qty	Base Oil: Semi Synthetic Colour: Red/Orange	Stroke: 2
MC2SEMISSYN001CP	1 Litre CP	6	<b>Key Specifications:</b> ISO EG-C, API TC, JASO FC  Penrite MC-2ST Semi Synthetic Two Stroke Oil is a low-smoke, semi synthetic high performance oil made from highly refined premium mineral oils and special synthetic additives.	
MC2SEMISSYN0025	2.5 Litres	4		



## Race Castor Oil

Product Code	Pack Size	Carton Qty	Viscosity: 20W-40 Stroke: 2	Base Oil: Castor Synthetic Oil
RCAS001	1 Litre	6	<b>Fuel Types:</b> Petrol / E10, Racing <b>Features:</b> Soluble in methanol and petrol, Longer engine life  Penrite 10 Tenths Race Castor is an ashless SAE 20W-40 engine oil manufactured from high quality castor vegetable oil, synthetic ester, anti-corrosion additives and an advanced anti-oxidant.	



## MC-4ST 5W-40 (Full Synthetic)

Product Code	Pack Size	Carton Qty	Viscosity: 5W-40 Alternative Viscosities: 5W-30, 10W-30	Base Oil: 100% PAO & Ester Full Synthetic Stroke: 4
MC45W40001	1 Litre	6	<b>Key Specifications:</b> API SN/CF, JASO MA <b>Fuel Types:</b> Petrol / E10, Racing  Penrite MC-4ST 5W-40 is a premium, full synthetic, 100% PAO & Ester SAE 5W-40, modern engine oil. It contains an anti-wear package of engine wear protection with FULL ZINC+ (exceeding 1800+ ppm levels) for ultimate engine wear protection.	
MC45W400025	2.5 Litres	4		
MC45W40004	4 Litres	4		
MC45W40020	20 Litres	1		
MC45W40205	205 Litres	1		



## MC-4ST 10W-40 (Full Synthetic)

Product Code	Pack Size	Carton Qty	Viscosity: 10W-40 Alternative Viscosities: 10W-30	Base Oil: 100% PAO & Ester Full Synthetic Stroke: 4
MC410W40001	1 Litre	6	<b>Key Specifications:</b> API SN/CF, JASO MA <b>Fuel Types:</b> Petrol / E10, Racing  Penrite MC-4ST 10W-40 is a premium, full synthetic, 100% PAO & Ester SAE 10W-40, SHEAR FREE modern engine oil. It contains an anti-wear package of engine wear protection with FULL ZINC+ (exceeding 1800+ ppm levels) for ultimate engine wear protection.	
MC410W400025	2.5 Litres	4		
MC410W40004	4 Litres	4		
MC410W40020	20 Litres	1		
MC410W40205	205 Litres	1		



## MC-4ST 10W-50 (Semi Synthetic)

Product Code	Pack Size	Carton Qty	Viscosity: 10W-50 Alternative Viscosities: 10W-40, 15W-40	Base Oil: Semi Synthetic Stroke: 4
MC410W50001	1 Litre	6	<b>Key Specifications:</b> API CH-4/SL, JASO MA  Penrite MC-4ST 10W-50 is a premium semi synthetic, SAE 10W-50, non friction modified, modern 4 stroke engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC and Penrite's advanced EXTRA TEN technology.	
MC410W500025	2.5 Litres	4		
MC410W50004	4 Litres	4		
MC410W50020	20 Litres	1		
MC410W50205	205 Litres	1		



## MC-4ST 15W-50 (Full Synthetic)

Product Code	Pack Size	Carton Qty	Viscosity: 15W-50 Alternative Viscosities: 15W-40	Base Oil: 100% PAO & Ester Full Synthetic Stroke: 4
MC415W50001	1 Litre	6	<b>Key Specifications:</b> API SN/CF, JASO MA <b>Fuel Types:</b> Petrol / E10, Racing  Penrite MC-4ST 15W-50 is a premium, full synthetic, 100% PAO & Ester SAE 15W-50, SHEAR FREE modern engine oil. It contains an anti-wear package of engine wear protection with FULL ZINC+ (exceeding 1800+ ppm levels) for ultimate engine wear protection.	
MC415W500025	2.5 Litres	4		
MC415W50004	4 Litres	4		
MC415W50020	20 Litres	1		
MC415W50205	205 Litres	1		



## MC-4ST 20W-50 (Premium Mineral)

Product Code	Pack Size	Carton Qty	Viscosity: 20W-50 Alternative Viscosities: 20W-40	Base Oil: Premium Mineral Stroke: 4
MC420W50001	1 Litre	6	<b>Key Specifications:</b> API CG4/SL, JASO MA <b>Fuel Types:</b> Petrol / E10, Racing  Penrite MC-4ST 20W-50 is a premium, high performance mineral, SAE 20W-50, non friction modified, 4 stroke engine oil. It contains a superior anti wear and cleansing package of FULL ZINC (exceeding 1400+ ppm levels) for ultimate engine, gearbox and clutch protection.	
MC420W50004	4 Litres	4		
MC420W50020	20 Litres	1		
MC420W50205	205 Litres	1		



## MC-4ST SAE 50 (Premium Mineral)

Product Code	Pack Size	Carton Qty	Viscosity: SAE 50	Base Oil: Premium Mineral Stroke: 4
MC4HD50001	1 Litre	6	<b>Key Specifications:</b> API SG/CD <b>Fuel Types:</b> Petrol / E10, Racing  Penrite MC-4ST HD50 is a premium quality mineral engine oil designed for use in motorcycles. It uses an advanced formulation to provide the best balance of power retention and wear protection.	
MC4HD50004	4 Litres	4		



## Four Stroke 10W-30 (Semi Synthetic)

Product Code	Pack Size	Carton Qty	Viscosity: 10W-30	Base Oil: Semi Synthetic Stroke: 4
SEFS1030001	1 Litre	6	<b>Key Specifications:</b> API SL/CF, ACEA A3/B3, JASO MA  Penrite Four Stoke 10W-30 is a non-friction modified, semi synthetic engine oil for use in modern small air and water-cooled engines. Best suited for four stroke mowers, small stationery engines and other gardening equipment including motorcycles with wet clutch.	
SEFS10300025	2.5 Litres	4		
SEFS1030005	5 Litres	4		
SEFS1030020	20 Litres	1		
SEFS1030205	205 Litres	1		



## Pro Gear 75W-85

Product Code	Pack Size	Carton Qty	Viscosity: 75W-85 Alternative Viscosities: 80W-85, SAE 80	Base Oil: Full Synthetic
PROG7585001	1 Litre	6	<b>Key Specifications:</b> API GL-4 Plus, MB 235.10/235.4, GM 12346190, BTR 5M-42, MAN 341, Chrysler MS 9224, ZF TE-ML 01/02/08 <b>Application:</b> Manual Gearboxes, Transaxles, Transfer Cases  Penrite Pro Gear 75W-85 is a premium full synthetic manual gearbox oil manufactured from a blend of carefully selected synthetic base oils, meeting the performance requirements of API GL-4 Plus as well as many manufacturer requirements.	
PROG75850025	2.5 Litres	4		
PROG7585020	20 Litres	1		
PROG7585060	60 Litres	1		
PROG7585205	205 Litres	1		




## Motorcycle Gear Oil

Product Code	Pack Size	Carton Qty	Viscosity: 10W-40    Base Oil: Semi Synthetic Alternative Viscosities: 80W-85
MCG080001	1 Litre	6	Key Specifications: API GL-4 Plus, BTR 5M-42, Holden HN 1046/HN 1070/HN 1820/HN 1855
MCG080025	2.5 Litres	4	
			Penrite Motorcycle Gear Oil is a semi synthetic premium performance, SAE 10W-40 or 80W-85 weight gear oil, specially formulated for separate gearboxes used in two stroke and four stroke motorcycles including ATV's.


## Enduro 25W-70 (Classic Range)

Product Code	Pack Size	Carton Qty	Viscosity: 25W-70    Base Oil: Premium Mineral    Stroke: 4 Alternative Viscosities: SAE 40
END005	5 Litres	4	Key Specifications: API SG, JASO MA  Penrite Enduro is a classic premium mineral, high zinc, 25W-70 non-friction modified four-stroke motorcycle engine oil.
END020	20 Litres	1	
END205	205 Litres	1	


## HD Oil 50-70 (Classic Range)

Product Code	Pack Size	Carton Qty	Viscosity: 50-70 Base Oil: Premium Mineral Stroke: 4 Alternative Viscosities: SAE 50	
HD005	5 Litres	4	Key Specifications: API SF	
Penrite HD Oil is an SAE 50-70 non-friction modified four stroke motorcycle engine oil for older large capacity engines. It is made from a unique combination of additives and viscosity modifiers that have been shown to control deposit formation in older motorcycles.				


## 4 Year Green (Concentrate)

Product Code	Pack Size	Carton Qty	Technology: Type A, Hybrid Colour: Green	
4YRAFAB001	1 Litre	6	Key Specifications: AS2108-2004 Type A, ASTM D3306, BS 6580, Ford M97-B44A/51A1, GM 1825/1899M, Holden HN 2217/HN 2043, JASO M325 (Japan), Federal Standard O-A-548D OEM Approvals: Volkswagen, Audi, Skoda, Seat TL 774-C (G11), Mercedes Benz Specification 325.0, Saab 690 1599, MAN 324 NF, Opel B 040 0240. BMW/Mini N 600 69.0	
Penrite 4 Year Anti-Freeze Anti-Boil is an OEM approved, Type A Hybrid, Green coloured long life coolant suitable for most vehicles. It is an ethylene glycol-based product that utilises hybrid organic and conventional inhibitors formulated to protect against over-heating, freezing, corrosion and cavitation in cooling systems.				


## 4 Year Green (Premix)

Product Code	Pack Size	Carton Qty	Technology: Type A, Hybrid Colour: Green	
4YRAFABPMX001	1 Litre	6	Key Specifications: AS2108-2004 Type A, ASTM D3306, BS 6580, Ford M97-B44A/51A1, GM 1825/1899M, Holden HN 2217/HN 2043, JASO M325 (Japan), Federal Standard O-A-548D OEM Approvals: Volkswagen, Audi, Skoda, Seat TL 774-C (G11), Mercedes Benz Specification 325.0, Saab 690 1599, MAN 324 NF, Opel B 040 0240. BMW/Mini N 600 69.0	
Penrite 4 Year Premix Anti-Freeze Anti-Boil is an OEM approved, Type A Hybrid, Green coloured long life coolant suitable for most vehicles. It is an ethylene glycol-based product that utilises hybrid organic and conventional inhibitors formulated to protect against over-heating, freezing, corrosion and cavitation in cooling systems.				


## 6 Year / 350,000 km (Concentrate)

Product Code	Pack Size	Carton Qty	Technology: Type A, Si-OAT Colour: Magenta	
6YRAFAB001	1 Litre	6	Key Specifications: AS 2108-2004 Type A, Ford WSS M97B44-D, Skoda/VW/Lamborghini/Audi/Bentley/Seat TL774-D/F (G12/G12+) OEM Approvals: MAN 324 Type Si-OAT, Mercedes-Benz MB 325.5, Porsche (as from 1997) 911, Boxster, Cayman, Cayenne, Panamera, Audi/Bentley/Bugatti/Lamborghini/SEAT/Skoda/VW TL 774-G (G12, G12+, G12++)	
Penrite 6 Year 350,000 km is a magenta coloured, Original Equipment Manufacturer (OEM) warranty, Fully Licensed/Approved new generation, 6 Year / 350,000 kilometre Silicate-Organic Acid Technology (Si-OAT), ethylene glycol Type A, Anti-Freeze Anti-Boil coolant.				


## 6 Year / 350,000 km (Premix)

Product Code	Pack Size	Carton Qty	Technology: Type A, Si-OAT Colour: Magenta	
6YRAFABPMX001	1 Litre	6	Key Specifications: RBF00058-2004 Type A, Ford ESE M97B44-D, Skoda/VW/Lamborghini/Audi/Bentley/Seat TL774-D/F (G12/G12+) OEM Approvals: MAN 324 Type Si-OAT, Mercedes-Benz MB 325.5, Porsche (as from 1997) 911, Boxster, Cayman, Cayenne, Panamera, Audi/Bentley/Bugatti/Lamborghini/SEAT/Skoda/VW TL 774-G (G12, G12+, G12++)	
Penrite 6 Year 350,000 km Premix is a magenta coloured, Original Equipment Manufacturer (OEM) warranty, Fully Licensed/Approved new generation, 6 Year / 350,000 kilometre Silicate-Organic Acid Technology (Si-OAT), ethylene glycol Type A, Anti-Freeze Anti-Boil coolant.				

## Blue Top Up (Premix)

Product Code	Pack Size	Carton Qty	Technology: Type A, Hybrid Colour: Blue	
AFABPMXBLUE001	1 Litre	6	Key Specifications: AS/NZS 2108-2004 Type A, SAE J1034, ASTM 3306, Ford ESE M97B44-A, Ford WSS M97B51-A1, Holden HN 1825M	
Penrite Blue Top Up Premix Coolant is a blue coloured, non silicate, hybrid, ethylene glycol, Type A, Anti-Freeze Anti-Boil coolant mixed with demineralized water that can be used as a premix and top up. It utilizes a hybrid inhibitor system of both organic and conventional inhibitors.				

## 10 Tenths Race Coolant

Product Code	Pack Size	Carton Qty	Technology: Type B Colour: Red	
RCI001	1 Litre	6	Key Specifications: AS 2108-2004 Type B	
Penrite 10 Tenths Race Coolant Inhibitor Concentrate is a non glycol based coolant that protects against corrosion, cavitation, scaling and oxidation in vehicles that do not require an Anti-Freeze Anti-Boil coolant.				





## Fork Oil 5

Product Code	Pack Size	Carton Qty	Base Oil: Full Synthetic	Alternative Viscosities: SAE 7.5
MCFO05001	1 Litre	6	Penrite Motorcycle Fork Oil 5 is a full synthetic, very high viscosity index fluid made from a special combination of synthetic base oils, viscosity modifiers, anti-wear agents and Extreme Pressure additives.	



## Fork Oil 10

Product Code	Pack Size	Carton Qty	Base Oil: Full Synthetic	Alternative Viscosities: SAE 15
MCFO10001	1 Litre	6	Penrite Motorcycle Fork Oil 10 is a full synthetic, very high viscosity index fluid made from a special combination of synthetic base oils, viscosity modifiers, anti-wear agents and Extreme Pressure additives.	



## Racing Brake Fluid

Product Code	Pack Size	Carton Qty	Colour: Straw
RBFO005	500 Millilitres	12	Key Specifications: AS 1960.1-2005, SAE J1704, US FMVSS No 116 Super DOT 4
Penrite Racing Brake Fluid is ideal for brake systems in high performance on-road vehicles and in all types of cars, trucks and motorcycles involved in all forms of competition including rally and circuit racing.			



## Motorcycle Chain Lube

Product Code	Pack Size	Carton Qty	Base Oil: Full Synthetic
MCCHAIN0004	400 Millilitres	6	Penrite Motorcycle Chain Lube is a full synthetic, highly tenacious product manufactured from a heavy base and solvent diluted for easy application. It dries to a clear film.



## MC Foam Filter Cleaner

Product Code	Pack Size	Carton Qty	Colour: White
MCFFC001	1 Litre	6	Penrite MC Foam Filter Cleaner is a specially formulated product, for cleaning motorcycle foam filters. It is a ready to use, non caustic and water soluble cleaner that effectively removes trapped dirt, tacky filter oil, grease and other contaminants from foam filters and washes away thoroughly.



## MC Foam Filter Oil

Product Code	Pack Size	Carton Qty	Colour: Blue
MCFOAM0005	500 Millilitres	12	Penrite MC Foam Filter Oil is a blue coloured, super tacky foam filter treatment for motorcycles which effectively stops the ingress of sand, dirt and dust into the engine.



PENRITE PRODUCT	Millilitres		Litres						
	400	500	1	2.5	4	5	20	60	205
MC-2ST Full Synthetic	-	-	● (CP)	●	-	-	●	-	-
MC-2ST Semi Synthetic	-	-	● (CP)	●	-	-	●	-	-
Race Castor Oil	-	-	●	-	-	-	-	-	-
MC 4ST 5W-40 Full Synthetic	-	-	●	●	●	-	●	-	●
MC 4ST 10W-40 Full Synthetic	-	-	●	●	●	-	●	-	●
MC-4ST 10W-50 Semi Synthetic	-	-	●	●	●	-	●	-	●
MC 4ST 15W-50 Full Synthetic	-	-	●	●	●	-	●	-	●
MC-4ST 20W-50 Premium Mineral	-	-	●	-	●	-	●	-	●
MC-4ST SAE 50 Premium Mineral	-	-	●	-	●	-	-	-	-
Four Stroke 10W-30 Semi Synthetic	-	-	●	●	-	●	●	-	●
Pro Gear 75W-85	-	-	●	●	-	-	●	●	●
Motorcycle Gear Oil	-	-	●	●	-	-	-	-	-
Enduro 25W-70 (Classic Range)	-	-	-	-	-	●	●	-	●
HD OIL 50-70	-	-	-	-	-	●	-	-	-
4 Year Green (Concentrate)	-	-	●	-	-	-	-	-	-
4 Year Green (Premix)	-	-	●	-	-	-	-	-	-
6 Year Magenta (Concentrate)	-	-	●	-	-	-	-	-	-
6 Year Magenta (Premix)	-	-	●	-	-	-	-	-	-
Blue Top Up (Premix)	-	-	●	-	-	-	-	-	-
10 Tenths Race Coolant	-	-	●	-	-	-	-	-	-
Fork Oil SAE 5	-	-	●	-	-	-	-	-	-
Fork Oil SAE 10	-	-	●	-	-	-	-	-	-
Racing Break Fluid	-	●	-	-	-	-	-	-	-
Motorcycle Chain Lube	●	-	-	-	-	-	-	-	-
MC Foam Filter Cleaner	-	-	●	-	-	-	-	-	-
MC Foam Filter Oil	-	●	-	-	-	-	-	-	-

### Key Features & Benefits for Motorcycle Oils:

- › New range of 2 and 4 Stroke engine oils
- › EXTRA TEN for maximum protection
- › FULL ZINC to minimise engine wear
- › Latest JASO and ISO Industry Specifications for motorcycles and go karts
- › Non-Friction modified to prevent clutch slippage
- › 2 Stroke available in 1L chamber pack

### Expert Tip:

A wet clutch is immersed in a cooling lubricating fluid which also keeps the surfaces clean and gives smoother performance and longer life. Check Penrite Product Info sheets for wet clutch compatibility





## A Better Class of Oil

### The Penrite Difference

- Family owned and operated, Australian made since 1926
- Australia's number 1 independent oil company
- Premium brand using only quality "virgin" base oils and additives
- High level customer satisfaction and voted number 1 preferred supplier
- The product offer covers a wide range of applications including modern and classic automotive, motorcycles, marine, agriculture, horticulture, mining, heavy duty, commercial and industrial
- Highly trained technical training and customer service representation
- Complete technical backup support 7 days a week
- Ability to make "problem solving" products for specific applications
- **EXTRA TEN, FULL ZINC** SAE viscosity products including **SHEAR FREE**
- First to market with the latest industry technology and manufacturer approvals
- 100% quality satisfaction guarantee



Visit our website at [www.penriteoil.com](http://www.penriteoil.com)