



VINTAGE, VETERAN & CLASSIC OILS

Penrite is proud to be one of the few companies with a range of products specifically designed to meet the needs of classic, veteran and vintage vehicles.

ClassicTM

HPR 30

Product Code	Pack Size	Carton Qty	Viscosity: 20W-60 Base Oil: Premium Mineral Alternative Viscosities: 20W-40, 20W-50, 25W-60, SAE 30
HPR30001	1 Litre	6	<p>Key Specifications: API SM/CF, ACEA A3/B3, GM 6094M, Ford WSS-M2C153-E, VW 502.00/505.00</p> <p>Fuel Types: Petrol / E10, Racing Features: Full Zinc, Extra Ten</p> <p>Penrite HPR 30 is a premium high performance mineral, SAE 20W-60, non-friction modified engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC (approx. 1600 ppm) and Penrite's advanced EXTRA TEN technology.</p>
HPR30005	5 Litres	4	
HPR30020	20 Litres	1	
HPR30060	60 Litres	1	
HPR00205	205 Litres	1	



HPR 40

Product Code	Pack Size	Carton Qty	Viscosity: 25W-70 Base Oil: Premium Mineral Alternative Viscosities: 25W-50, 25W-60
HPR40001	1 Litre	6	<p>Key Specifications: API SL</p> <p>Fuel Types: Petrol / E10, Racing Features: Full Zinc, Extra Ten</p> <p>Penrite HPR 40 is a premium high performance mineral, SAE 25W-70, non-friction modified engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC (approx. 1500 ppm) and Penrite's advanced EXTRA TEN technology.</p>
HPR40005	5 Litres	4	
HPR40020	20 Litres	1	
HPR40060	60 Litres	1	
HPR40205	205 Litres	1	



HPR 50

Product Code	Pack Size	Carton Qty	Viscosity: 40-70 Base Oil: Premium Mineral Alternative Viscosities: SAE 50
HPR50001	1 Litre	6	<p>Key Specifications: API SL</p> <p>Fuel Types: Petrol / E10, Racing Features: Full Zinc, Extra Ten</p> <p>Penrite HPR 50 is a premium high performance mineral, SAE 40-70, non-friction modified engine oil. It contains a DOUBLE LAYER of engine wear protection with FULL ZINC (approx. 1500 ppm) and Penrite's advanced EXTRA TEN technology.</p>
HPR50005	5 Litres	4	
HPR50020	20 Litres	1	
HPR50060	60 Litres	1	
HPR50205	205 Litres	1	



Classic Light Engine Oil

Product Code	Pack Size	Carton Qty	Viscosity: 20W-60 Base Oil: Premium Mineral Alternative Viscosities: 20W-40, 20W-50, SAE 30
CLASL001	1 Litre	6	<p>Key Specifications: API SG/CD</p> <p>Fuel Types: Petrol / Diesel Features: High Zinc</p> <p>Penrite Classic Light Engine Oil is a premium mineral, SAE 20W-60, high zinc, low detergent engine oil designed specifically for petrol and diesel fuelled vehicles manufactured between 1950 and 1989. Featuring a double layer of engine wear protection with high zinc and increased operating temperature viscosity.</p>
CLASL005	5 Litres	4	



Classic Medium Engine Oil

Product Code	Pack Size	Carton Qty	Viscosity: 25W-70 Base Oil: Premium Mineral Alternative Viscosities: SAE 40
CLASM005	5 Litres	4	<p>Key Specifications: API SG/CD</p> <p>Fuel Types: Petrol / Diesel Features: High Zinc</p> <p>Penrite Classic Medium Engine Oil is a premium mineral, SAE 25W-70, high zinc, low detergent engine oil designed specifically for petrol and diesel fuelled vehicles manufactured between 1950 and 1989. Featuring a double layer of engine wear protection with high zinc and increased operating temperature viscosity.</p>



Classic Heavy Engine Oil

Product Code	Pack Size	Carton Qty	Viscosity: 40W-70 Base Oil: Premium Mineral Alternative Viscosities: SAE 50
CLASH005	5 Litres	4	<p>Key Specifications: API SG/CD</p> <p>Fuel Types: Petrol / Diesel Features: High Zinc</p> <p>Penrite Classic Heavy Engine Oil is a premium mineral, SAE 40-70, high zinc, low detergent engine oil designed specifically for petrol and diesel fuelled vehicles manufactured between 1950 and 1989. Featuring a double layer of engine wear protection with high zinc and increased operating temperature viscosity.</p>



Classic 20W-50 Engine Oil (Europe Only)

Product Code	Pack Size	Carton Qty	Viscosity: 20W-50 Base Oil: Premium Mineral Alternative Viscosities: 20W-40, SAE 30
CLAS20W50001	1 Litre	6	<p>Key Specifications: API SL/CF, JASO MA</p> <p>Fuel Types: Petrol / Diesel Features: High Zinc</p> <p>Penrite Classic 20W-50 Engine Oil is a mid-detergent engine oil designed specifically for light duty petrol and diesel fuelled vehicles manufactured between 1950 and 1980 as well as motorcycles. Ideal in vehicles operating in cooler ambient temperatures.</p>
CLAS20W50005	5 Litres	4	




Classic Mini Oil

Product Code	Pack Size	Carton Qty	Viscosity: 20W-50 Base Oil: Premium Mineral Alternative Viscosities: 20W-40, SAE 30
CLASMINI001	1 Litre	6	<p>Key Specifications: API SJ/CE, CCMC G2, API GL-4, MB 227.1, MIL-L-2104D</p> <p>Fuel Types: Petrol Features: Full Zinc</p> <p>Penrite Classic Mini Oil is a premium mineral, full zinc, SAE 20W-50 viscosity, API GL-4 petrol engine oil, designed specifically for all classic Minis, providing an excellent combination of engine protection and smooth gear shifts.</p>
CLASMINI005	5 Litres	4	



Shelsley Light Engine Oil

Product Code	Pack Size	Carton Qty	Viscosity: 20W-60 Base Oil: Premium Mineral Alternative Viscosities: SAE 30
SHELL005	5 Litres	4	<p>Key Specifications: API SC/CC</p> <p>Fuel Types: Petrol / Kerosene / Diesel Features: High Zinc</p> <p>Penrite Shelsley Light is a premium mineral, high zinc, very low detergent, SAE 20W-60 engine oil for vehicles that specified SAE 30 grade, designed specifically for petrol, kerosene and diesel fuelled vintage, pre-war and post war vehicles manufactured to 1950. Featuring a double layer of engine wear protection with high zinc and increased operating temperature viscosity over monograde oils.</p>



Shelsley Medium Engine Oil

Product Code	Pack Size	Carton Qty	Viscosity: 25W-70 Base Oil: Premium Mineral Alternative Viscosities: SAE 40
SHELM005	5 Litres	4	<p>Key Specifications: API SC/CC</p> <p>Fuel Types: Petrol / Kerosene / Diesel Features: High Zinc</p> <p>Penrite Shelsley Medium is a premium mineral, high zinc, very low detergent, SAE 25W-70 engine oil for vehicles that specified SAE 40 grade, designed specifically for petrol, kerosene and diesel fuelled vintage, pre-war and post war vehicles manufactured to 1950. Featuring a double layer of engine wear protection with high zinc and increased operating temperature viscosity over monograde oils.</p>
SHELM020	20 Litres	1	



Shelsley Heavy Engine Oil

Product Code	Pack Size	Carton Qty	Viscosity: 40-70 Base Oil: Premium Mineral Alternative Viscosities: SAE 50
SHELH005	5 Litres	4	Key Specifications: API SC/CC Fuel Types: Petrol / Kerosene / Diesel Features: High Zinc <div>Penrite Shelsley Heavy is a premium mineral, high zinc, very low detergent, 40-70 engine oil for vehicles that specified SAE 50 grade, designed specifically for petrol, kerosene and diesel fuelled vintage, pre-war and post war vehicles manufactured to 1950. Featuring a double layer of engine wear protection with high zinc and increased operating temperature viscosity over monograde oils.</div>



Heritage LTM

Product Code	Pack Size	Carton Qty	Viscosity: SAE 30 Base Oil: Premium Mineral
HERLTM005	5 Litres	4	Fuel Types: Petrol / Kerosene / Diesel <div>Penrite Heritage LTM is an SAE 30 light to medium viscosity, premium mineral, monograde engine oil manufactured from high quality mineral base oils and containing anti-wear, anti-rust and tackiness additives. It's designed to meet the requirements of small engine veteran, Edwardian cars or 1, 2 and 4 cylinders, and motorcycles up to 500cc prior to 1920.</div>



Heritage MTH

Product Code	Pack Size	Carton Qty	Viscosity: SAE 50 Base Oil: Premium Mineral
HERMTM005	5 Litres	4	Fuel Types: Petrol / Kerosene / Diesel <div>Penrite Heritage MTH is an SAE 50 medium to heavy viscosity, premium mineral, monograde engine oil manufactured from high quality mineral base oils and containing anti-wear, anti-rust and tackiness additives. It's designed to meet the requirements of medium to large veteran, Edwardian cars or 4, 6 and 8 cylinders, and motorcycles of 500cc capacity or over built prior to 1920.</div>



Enduro 25W-70

Product Code	Pack Size	Carton Qty	Viscosity: 25W-70 Base Oil: Premium Mineral Alternative Viscosities: SAE 40 Stroke: 4
END005	5 Litres	4	Key Specifications: API SG, JASO MA <div>Penrite Enduro is a classic premium mineral, high zinc, 25W-70 non-friction modified four-stroke motorcycle engine oil.</div>
END020	20 Litres	1	
END205	205 Litres	1	



HD Oil 50-70

Product Code	Pack Size	Carton Qty	Viscosity: 50-70 Base Oil: Premium Mineral Alternative Viscosities: SAE 50 Stroke: 4
HD005	5 Litres	4	Key Specifications: API SF <div>Penrite HD Oil is an SAE 50-70 non-friction modified four stroke motorcycle engine oil for older large capacity engines. It is made from a unique combination of additives and viscosity modifiers that have been shown to control deposit formation in older motorcycles.</div>



Running-In Oil

Product Code	Pack Size	Carton Qty	Viscosity: 15W-40 Base Oil: Premium Mineral Alternative Viscosities: 20W-40, 20W-50, SAE 30
RUN005	5 Litres	4	Key Specifications: API SF/CC Fuel Types: Petrol / E10, Diesel, E85, LPG / Dual Fuel Features: High Zinc, Non-friction modified <div>Penrite Running-In Oil is a premium mineral, SAE 15W-40, non friction modified, engine oil. It contains HIGH ZINC (exceeding 1600+ ppm levels) for ultimate engine wear protection during the running in period for re-built or new crate engines.</div>
RUN020	20 Litres	1	
RUN205	205 Litres	1	



Classic Car Coolant (Concentrate)

Product Code	Pack Size	Carton Qty	Technology: Type B Colour: Clear
VCI001	1 Litre	6	Key Specifications: AS 2108-2004 Type B <div>Penrite Classic Car Coolant is a Type B colourless, hybrid-organic, non-glycol based corrosion inhibitor designed specifically for use in veteran, Edwardian, vintage and classic car cooling systems that protects against corrosion, cavitation, scaling and oxidation.</div>



Gear Box Oil 30

Product Code	Pack Size	Carton Qty	Viscosity: 20W-60 Base Oil: Premium Mineral Alternative Viscosities: SAE 30
GB30001	1 Litre	6	Key Specifications: API GL-1 <div>Penrite Gear Box Oil 30 is an SAE 20W-60 oil designed for use where SAE 30 oils were originally specified. It's a multigrade gearbox oil designed specifically for use in vehicles that originally used the same oil in the gearbox as was recommended and used in the engine. Many vehicles manufactured in the fifties and sixties specified engine oil for use in the gearbox. Whilst this was convenient, a proper gear oil was a better alternative.</div>
GB30005	5 Litres (UK)	4	



Gear Box Oil 40

Product Code	Pack Size	Carton Qty	Viscosity: 25W-70 Base Oil: Premium Mineral Alternative Viscosities: SAE 40, 50
GB40001	1 Litre	6	Key Specifications: API GL-1 <div>Penrite Gear Box Oil 40 is an SAE 25W-70 oil designed for use where SAE 40 or 50 oils were originally specified. It's a multigrade gearbox oil designed specifically for use in vehicles that originally used the same oil in the gearbox as was recommended and used in the engine. Many vehicles manufactured in the fifties and sixties specified engine oil for use in the gearbox. Whilst this was convenient, a proper gear oil was a better alternative.</div>
GB40005	5 Litres (UK)	4	




Transoil 90


Product Code	Pack Size	Carton Qty	Viscosity: SAE 90 Base Oil: Premium Mineral
T90001	1 Litre	6	Key Specifications: API GL-1 <div>Penrite Transoil 90 is a premium non additive gear oil designed specifically for use in veteran, vintage and Edwardian gearbox, transaxles and selected spur and bevel type rear axles. It does not contain any aggressive load carrying additives that may cause damage to ferrous and non ferrous metal types used in these types of vehicles.</div>
T90005	5 Litres (UK)	4	




Transoil 140

Product Code	Pack Size	Carton Qty	Viscosity: SAE 140	Base Oil: Premium Mineral	
T140001	1 Litre	6	Key Specifications: API GL-1	Penrite Transoil 140 is a premium non additive gear oil designed specifically for use in veteran, vintage and Edwardian gearbox, transaxles and selected spur and bevel type rear axles. It does not contain any aggressive load carrying additives that may cause damage to ferrous and non ferrous metal types used in these types of vehicles.	
T140005	5 Litres (UK)	4			


Transoil 250

Product Code	Pack Size	Carton Qty	Viscosity: SAE 250	Base Oil: Premium Mineral	
T250001	1 Litre	6	Key Specifications: API GL-1	Penrite Transoil 250 is a premium non additive gear oil designed specifically for use in veteran, vintage and Edwardian gearbox, transaxles and selected spur and bevel type rear axles. It does not contain any aggressive load carrying additives that may cause damage to ferrous and non ferrous metal types used in these types of vehicles.	
T250005	5 Litres (UK)	4			


Mild EP

Product Code	Pack Size	Carton Qty	Viscosity: SAE 110	Base Oil: Premium Mineral	
MILD001	1 Litre	6	Key Specifications: API GL-4	Penrite Mild EP Gear Oil is an SAE 110 extreme pressure automotive gear oil meeting the requirements of API GL-4 for moderate to high load applications.	


Shocker Oil 1

Product Code	Pack Size	Carton Qty	Base Oil: Premium Mineral	Colour: Green	
SHOK1500	500 Millilitres (UK)	12	Key Specifications: ISO 46	Penrite Shocker Oil No.1 is a suspension oil specifically designed for lever arm and vane type shock absorbers fitted to cars covering the vintage and classic period. It contains anti-corrosion and anti-wear additives for enhanced protection. Penrite Shocker Oil No.1 is suitable for use in both single and double action Delco type shock absorbers as fitted to cars such as Buick, Chrysler, Dodge, Plymouth and Oldsmobile.	
SHOK1001	1 Litre	6			

Shocker Oil 2

Product Code	Pack Size	Carton Qty	Base Oil: Premium Mineral	Colour: Green	
SHOK2500	500 Millilitres (UK)	12	Key Specifications: ISO 68	Penrite Shocker Oil No.2 is a suspension oil specifically designed for lever arm and vane type shock absorbers fitted to cars covering the vintage and classic period. It contains anti-corrosion and anti-wear additives for enhanced protection. Penrite Shocker Oil No.2 is suitable for Armstrong lever action type shock absorbers in either single or double acting where fast road and competition use is anticipated.	
SHOK2001	1 Litre	6			

SU Dashpot Oil

Product Code	Pack Size	Carton Qty	Base Oil: Premium Mineral	Colour: Natural	
SUDASH000150	150 Millilitres	12	Key Specifications: ISO 15	Penrite SU Dashpot Oil is a mineral based oil containing anti-corrosion and anti-wear additives for the lubrication of pistons and dampers in SU and Stromberg carburettors. Penrite SU Dashpot Oil is suitable for use in pre 1940 SU carburettors, which do not incorporate a damper in the dashpot assembly. Removing the dashpot cap can readily identify this type of carburettor, as there is no damper rod on the underside.	

SU Damper Oil

Product Code	Pack Size	Carton Qty	Base Oil: Premium Mineral	Colour: Green	
SUDAMP000150	150 Millilitres	12	Key Specifications: ISO 68	Penrite SU Damper Oil is a mineral based oil containing anti-corrosion and anti-wear additives for the lubrication of pistons and dampers in SU and Stromberg carburettors. Penrite SU Damper Oil is suitable for post 1940 vehicles using SU and Stromberg carburettors incorporating a damper in the dashpot assembly. The damper assembly is attached to the cap and can be seen when the cap is removed.	

Upper Cylinder & LPG Lubricant

Product Code	Pack Size	Carton Qty	Base Oil: Premium Mineral	
UCL001	1 Litre	6	Fuel Types: Leaded / Unleaded / E10 / LPG / Dual Fuel	Penrite UCL (Upper Cylinder and LPG Lubricant) is a special low viscosity mineral based oil for protection against valve seat recession wear and lubrication of the fuel system in all vehicles. It contains both detergent and lead replacement additives for use in vehicles using leaded, unleaded, E10, LPG or dual fuel.

Valveshield


Product Code	Pack Size	Carton Qty	Colour: Yellow	
ADVS250	250 Millilitres	12	Key Specifications: AS 4430.1:1996, Federation of Vintage Motor Clubs (UK)	Penrite Valveshield is an unleaded petrol treatment formulated primarily for vehicles originally designed and manufactured to run on leaded fuel. It protects these engines against valve seat recession (VSR) using current unleaded fuels.



High Temperature Wheel Bearing Grease

Product Code	Pack Size	Carton Qty	Colour: Purple	
HTGR00045	450 Grams	12	Key Specifications: NLGI 2, DIN 51502, ISO 6743, KP2N-30, ISO-L-XCDB2, Volvo 97720 (level)	
HTGR0005	500 Grams	12		
HTGR0025	2.5 Kilograms	6		
HTGR020	20 Kilograms	1		
HTGR055	55 Kilograms	1		
HTGR180	180 Kilograms	1		
Penrite High Temperature Wheel Bearing Grease is an NLGI No 2, purple coloured, high temperature all-purpose, extreme pressure (EP) grease manufactured from high quality base oils and a lithium complex soap. It utilises a special borate additive system for effective extreme pressure performance and anti-wear protection.				


Molygrease EP 3%

Product Code	Pack Size	Carton Qty	Colour: Grey	
MOLY00045	450 Grams	12	Key Specifications: NLGI 2 Penrite Molygrease EP 3% is a lithium grease containing molybdenum disulphide for the lubrication of ball joints, king pins and universal joints, as well as open surfaces such as trailer couplings.	
MOLY0005	500 Grams	12		
MOLY0025	2.5 Kilograms	6		
MOLY020	20 Kilograms	1		
MOLY055	55 Kilograms	1		
MOLY180	180 Kilograms	1		


Rubber Grease

Product Code	Pack Size	Carton Qty	Colour: Red	
RUBGR0005	500 Grams	12	Key Specifications: NLGI 2	
RUBGR020	20 Kilograms	1		
Penrite Rubber Grease protects rubber from the risk of perishing with this red, clay-based grease with castor base oil specifically designed for the lubrication of natural or synthetic rubber components.				


Graphite Grease

Product Code	Pack Size	Carton Qty	Colour: Grey	
GRGR0005	500 Grams	12	Key Specifications: NLGI 3	
Penrite Graphite Grease is a quality calcium-based grease brake cables, flexible drives, exposed chains and for general chassis lubrication of pre-1960 vehicles.				


Water Pump Grease

Product Code	Pack Size	Carton Qty	Colour: Amber	
WPGR00005	50 Grams	12	<div>Key Specifications: NLGI 4</div> <div>Penrite Water Pump Grease is a heavy NLGI No. 4 calcium-based moderate-duty grease is just the job to protect water pumps in older vehicles, as well as fire fighting and irrigation equipment.</div>	


Copper Eze

Product Code	Pack Size	Carton Qty	Colour: Copper	
CEZE00005	50 Grams	12	Key Specifications: NLGI 1.5	
CEZE0005	500 Grams	12		
Penrite Copper Eze is a bentone based anti-seize grease containing micro-size copper, zinc oxide and additional synthetic base oil that will resist temperatures of up to 1093°C.				


Cam Assembly Lube

Product Code	Pack Size	Carton Qty	Colour: Grey	
CAM00004	40 Grams	12	Penrite Cam Assembly Lube is a special purpose, sticky paste containing a lithium grease, rust inhibitors, oxidation inhibitors, tackiness additives, zinc, anti-wear agents and molybdenum disulphide. Dissolves in oil.	

Semi Fluid Grease

Product Code	Pack Size	Carton Qty	Colour: Light Brown	
SEMI00045	450 Grams	12	Penrite Semi Fluid Grease is an extreme pressure, NLGI 00, lithium soap thickened grease, blended using extreme pressure additives, anti-wear, rust and oxidation inhibitors.	
SEMI0005	500 Millilitres	6		
SEMI020	20 Kilograms	1		

Steering Box Lube

Product Code	Pack Size	Carton Qty	Colour: Light Brown	
SBL00045	450 Grams	12	Penrite Steering Box Lube is suitable for veteran/vintage and some classic car steering boxes, this high viscosity (1200w) self-levelling grease features non-corrosive extreme pressure (EP) additives to provide film strength. Penrite Steering Box Lube (self-levelling) is an extreme pressure, lithium based grease, blended with effective anti-wear, rust and oxidation inhibitors.	
SBL0005	500 Millilitres	6		



VINTAGE, VETERAN & CLASSIC OILS

PENRITE PRODUCT	Millilitres			Litres				
	150	250	500	1	5	20	60	205
HPR 30	-	-	-	●	●	●	●	●
HPR 40	-	-	-	●	●	●	●	●
HPR 50	-	-	-	●	●	●	●	●
Classic Light Engine Oil	-	-	-	●	●	-	-	-
Classic Medium Engine Oil	-	-	-	-	●	-	-	-
Classic Heavy Engine Oil	-	-	-	-	●	-	-	-
Classic 20W-50 (Europe Only)	-	-	-	●	●	-	-	-
Classic Mini Oil	-	-	-	●	●	-	-	-
Shelsley Light Engine Oil	-	-	-	-	●	-	-	-
Shelsley Medium Engine Oil	-	-	-	-	●	●	-	-
Shelsley Heavy Engine Oil	-	-	-	-	●	-	-	-
Heritage LTM	-	-	-	-	●	-	-	-
Heritage MTH	-	-	-	-	●	-	-	-
Enduro 4 Stroke 25W-70	-	-	-	-	●	●	-	●
HD Oil 50-70	-	-	-	-	●	-	-	-
Running-In Oil	-	-	-	-	●	●	-	●
Classic Car Coolant	-	-	-	●	-	-	-	-
Gear Box Oil 30	-	-	-	●	●	-	-	-
Gear Box Oil 40	-	-	-	●	●	-	-	-
Transoil 90	-	-	-	●	●	-	-	-
Transoil 140	-	-	-	●	●	-	-	-
Transoil 250	-	-	-	●	●	-	-	-
Mild EP	-	-	-	●	-	-	-	-
Shocker Oil 1	-	-	●	●	-	-	-	-
Shocker Oil 2	-	-	●	●	-	-	-	-
SU Dashpot Oil	●	-	-	-	-	-	-	-
SU Damper Oil	●	-	-	-	-	-	-	-
Upper Cylinder Lubricant	-	-	-	●	-	-	-	-
Valveshield	-	●	-	-	-	-	-	-

PENRITE PRODUCT	Grams				Millilitres	Kilograms			
	40	50	450	500	500	2.5	20	55	180
High Temperature Wheel Bearing Grease	-	-	●	●	-	●	●	●	●
Molygrease EP 3%	-	-	●	●	-	●	●	●	●
Rubber Grease	-	-	-	●	-	-	●	-	-
Graphite Grease	-	-	-	●	-	-	-	-	-
Water Pump Grease	-	●	-	-	-	-	-	-	-
Copper Eze	-	●	-	●	-	-	-	-	-
Cam Assembly Lube	●	-	-	-	-	-	-	-	-
Semi Fluid Grease	-	-	●	-	●	-	●	-	-
Steering Box Lube	-	-	●	-	●	-	-	-	-



Visit our website at www.penriteoil.com